

R E P O R T R E S U M E S

ED 017 655

VT 001 863

DISABILITIES IN OKLAHOMA--ESTIMATES AND PROJECTIONS, REPORT
OF THE OKLAHOMA SURVEY OF DISABILITIES.
BY- BOHLEBER, MICHAEL E.
OKLAHOMA STATE UNIV., STILLWATER, RES. FOUNDATION

PUB DATE 66

EDRS PRICE MF-\$0.50 HC-\$3.64 89P.

DESCRIPTORS- *MENTALLY HANDICAPPED, *PHYSICALLY HANDICAPPED,
*STATE SURVEYS, *INTERVIEWS, ATTITUDES, *STATISTICAL DATA,
QUESTIONNAIRES, RURAL URBAN DIFFERENCES, INDIVIDUAL
CHARACTERISTICS, VOCATIONAL REHABILITATION, AGE, SEX
(CHARACTERISTICS), RACIAL CHARACTERISTICS, POPULATION TRENDS,
OKLAHOMA,

THE PURPOSE OF THE STUDY WAS TO PROVIDE REASONABLY ACCURATE ESTIMATES OF THE NUMBER AND TYPES OF DISABLED PERSONS AND THEIR NEEDS AS A BASIS FOR BOTH PRESENT AND FUTURE PLANNING. PERSONAL INTERVIEWS WERE CONDUCTED WITH ADULT RESPONDENTS IN 3,000 HOUSEHOLDS IN OKLAHOMA, A RANDOM SAMPLE STATIFIED ON THE RURAL-URBAN DIMENSION. DATA FROM 2,058 INTERVIEWS ARE PRESENTED FOR THE FOLLOWING DISABILITIES--(1) VISUAL DEFECTS, (2) HEARING DEFECTS, (3) FUNCTIONAL IMPAIRMENTS, (4) ABSENCE OF LIMB, OR AMPUTATIONS, (5) MENTAL OR PERSONALITY DISORDERS, AND (6) OTHER CONDITIONS SUCH AS CANCER, ALLERGY, EPILEPSY, HEART AND CIRCULATORY CONDITIONS, ULCERS, AND SPEECH IMPAIRMENTS. TABULAR DATA ARE PRESENTED FOR (1) ESTIMATES OF NUMBERS OF PERSONS AND IN EACH OF 10 VOCATIONAL REHABILITATION PLANNING AREAS HAVING DISABILITIES, 1970 AND 1975, BY TYPE OF DISABILITY, RESIDENCE, SEX, RACE, AND AGE, (3) CHARACTERISTICS OF PERSONS HAVING DISABILITIES, (4) ESTIMATES OF NUMBERS OF PERSONS WHO HAVE SPENT TIME IN MENTAL HOSPITALS OR CORRECTIONAL INSTITUTIONS, (5) ATTITUDES OF RESPONDENTS TOWARD MENTAL HOSPITALS, AND (6) ATTITUDES OF RESPONDENTS TOWARD FORMER INMATES OF MENTAL HOSPITALS AND PRISONS. FROM THE SAMPLE, IT WAS ESTIMATED THAT 17.1 PERCENT OF THE POPULATION HAD SOME PHYSICAL OR MENTAL DISABILITY. (PS)

EDO17655

DISABILITIES IN OKLAHOMA: ESTIMATES AND PROJECTIONS

**Report of
THE OKLAHOMA SURVEY OF DISABILITIES**

**Conducted through
THE OKLAHOMA STATE UNIVERSITY
RESEARCH FOUNDATION**

**under contract with
OKLAHOMA VOCATIONAL REHABILITATION DIVISION
STATE BOARD FOR VOCATIONAL EDUCATION**

**supported by
U. S. Department of Health, Education, and Welfare
Vocational Rehabilitation Administration
Grant No. 756/81303**

**MICHAEL E. BOHLEBER, PH.D.
DEPARTMENT OF SOCIOLOGY**

15 V7001863

THIS DOCUMENT HAS BEEN REPRODUCED EXACTLY AS RECEIVED FROM THE PERSON OR ORGANIZATION ORIGINATING IT. POINTS OF VIEW OR OPINIONS STATED DO NOT NECESSARILY REPRESENT OFFICIAL OFFICE OF EDUCATION POSITION OR POLICY.

DISABILITIES IN OKLAHOMA:

ESTIMATES AND PROJECTIONS

**Report of
THE OKLAHOMA SURVEY OF DISABILITIES**

**Conducted through
THE OKLAHOMA STATE UNIVERSITY
RESEARCH FOUNDATION**

**under contract with
OKLAHOMA VOCATIONAL REHABILITATION DIVISION
STATE BOARD FOR VOCATIONAL EDUCATION**

**supported by
U.S. Department of Health, Education, and Welfare
Vocational Rehabilitation Administration
Grant No. 756/81303**

**MICHAEL E. BOHLEBER, PH.D.
DEPARTMENT OF SOCIOLOGY**

TABLE OF CONTENTS

	Page
INTRODUCTION	1
ESTIMATES AND PROJECTIONS FOR THE STATE	10
ESTIMATES AND PROJECTIONS FOR THE VOCATIONAL REHABILITATION PLANNING AREAS	20
Planning Area 1	20
Planning Area 2	26
Planning Area 3	32
Planning Area 4	38
Planning Area 5	44
Planning Area 6	50
Planning Area 7	56
Planning Area 8	62
Planning Area 9	68
Planning Area 10	74
APPENDIX	80

INTRODUCTION

The essence of science is reliable knowledge, that is, knowledge based on carefully controlled empirical observations. Experience is teaching us that sound decisions by policy-making groups, especially in an increasingly complex world, also must be based on reliable knowledge. In the case of both science and sound governmental policy, too much is at stake frequently to accept the assumptions that are available, especially when the validity of those assumptions is testable. The research reported in the following pages is based partly on these considerations.

The assumptions which are questioned by the research reported here are those concerning the prevalence of physical and mental disabilities in the population of Oklahoma, the types of disabilities, and the needs of the persons who have disabilities. During the summer of 1966, the questions to be asked were specified by personnel of the Vocational Rehabilitation Division, State Board for Vocational Education, and, accordingly, a study was designed which would provide reasonably accurate estimates of the number and types of disabled persons in Oklahoma and their needs. Also, in order to provide a basis for planning for future needs, projections of the estimates for the years 1970 and 1975 were to be made. Knowledge about the characteristics of the population having disabilities is desirable, and therefore esti-

mates appear by age, sex, race, and residence. In addition, employment characteristics of disabled persons and their willingness to leave home for employment or training are provided.

Recognizing that the attitudes of the population toward rehabilitating services are an important aspect of the effectiveness of these services, the research plan included an assessment of Oklahomans' attitudes toward mental hospitals and former mental patients and prison inmates. The results of this assessment appear below in Tables V and VI.

Following the Introduction, which consists of a description of the research and a discussion of the reliability of its results, there appear tables for the state and for each of the ten Vocational Rehabilitation Planning Areas (see Figure 1).

The Method of Study. The survey research technique was employed, with the design calling for personal interviews with adult respondents in a random sample of 3,000 households in Oklahoma.

The sample is a stratified random sample, stratified on the rural-urban dimension. Rural and urban samples were drawn separately for two reasons: to ensure proportionate representation of both types of population and to facilitate sampling with the use of available city directories. The nineteen largest urban places were designated as representing




Figure 1. Oklahoma Vocational Rehabilitation Planning Areas.

the urban population. The population of the smallest of these places is about 13,000. In all, the population of the nineteen cities constitutes about 44 per cent of the total state population.

The rural population was sampled by first drawing a random sample of 100 townships. Then, within each drawn township, a random sample of houses was drawn. On the basis of 1960 Bureau of the Census reports, according to which there are 734,593 occupied dwelling units, a sample of 3,000 dwelling units would yield a sampling ratio of 4 per 1,000. Under the assumptions of probability sampling, every occupied household in Oklahoma had one chance in 250 of being included in the sample.

A letter explaining the research and announcing the visit of an interviewer was mailed to every respondent in the sample. Of the 3,000 letters mailed, only 247 were returned for failure to locate address, etc.

The interview schedule, a copy of which appears in the Appendix, was constructed as a joint effort of the writer and the personnel of the office of the Project Director for Statewide Planning, Vocational Rehabilitation Division. It was pretested in the Stillwater area, and the pretest resulted in the splitting of items 19 and 20, which originally were one question. Also, the pretest indicated that certain items were not applicable to all persons with disabilities, for

example, the very young and the very old.

Interviewing was conducted by more than one hundred interviewers, most of whom were school counselors located throughout the state. Practically all interviewing in Oklahoma City and Tulsa was conducted by students who received special training. Interviewing in Tulsa was carried out largely by Tulsa University students under the guidance of Dr. Nancy Feldman.

Of the interviews returned, 2,058 were used for the tabulations. Others were rejected because of incomplete data. However, the largest discrepancy in failing to complete 3,000 interviews resulted from lack of ability of the interviewers to locate respondents. Failure to locate address, vacancy of the house, and repeated absence of occupants were the most frequently given reasons for failure to complete interviews. There were refusals, but the refusal rate was not recorded. The general impression is that the refusal rate was low. Interviewers reported that the general response of persons in the sample was very favorable and that the willingness of respondents to answer the questions was much greater than expected.

Data were coded for tabulation on machine cards, and the analysis was conducted through the computer facility at Oklahoma State University.

Interpretation. The interpretation of the estimates

which appear in this report hinges on several considerations. First, there is the question of definitions. A person is defined as having a disability if he is enumerated by the interviewer in either item 2 or item 3 of the schedule (see Appendix). Three assumptions are apparent: it is assumed the respondent is aware of the physical and mental condition of every member of the household, including himself, the respondent does not willfully withhold information, and all interviewers used the same criteria for determining when to list a person. The evidence indicates that the first two assumptions are reasonable. As mentioned above, interviewers reported an unexpected willingness of respondents to discuss disabilities. Regarding the third assumption, every feasible measure was taken to standardize the enumerating procedure. Interviewers were instructed to describe questionable cases fully, so that the final decision could be made by the project director.

There are two further considerations relevant to definition of a person as having a disability. First, many of the persons who fall into the category of the disabled do so because they have a condition which is defined by the Vocational Rehabilitation Administration as a disability but which they themselves do not define as a disability. The severity of conditions so defined varies greatly. But severity is no guarantee of acceptance of disabled status.

A successful house painter with only one arm insisted that his condition is not a disability. This raises the second consideration, which is that many persons who have conditions which are classified officially as disabilities are gainfully employed and have not lost any time from work because of their conditions. This suggests that one of the most important estimates provided below is that of the number of persons with disabilities who are in their productive years but unemployed.

A primary question in interpreting any statistical report is that of the confidence with which one may accept the estimates. In the language of the statistician, this is the question of confidence limits. Although time did not allow the computation of the confidence limits for all estimates, the limits for the estimate of the proportion of persons in Oklahoma who have a physical or mental disability are provided as follows: From the sample, it is estimated that 17.1 per cent of the population has some physical or mental disability. Using the formula given by Cochran¹, it was determined that one can be reasonably confident that 95 times out of 100 the true value of the proportion lies within .9 per cent above or below the estimate, that is, between 16.2 per cent and 18 per cent.

¹William G. Cochran, Sampling Techniques (New York: John Wiley and Sons, Inc., 1953), pp. 39 ff.

The reader will note a large number of blank spaces in the cross classifications of populations in the separate Vocational Rehabilitation Planning Areas. These occur because the sample in many cases was not large enough to provide estimates of persons in every category. Here, the estimates are less reliable, but the reader should bear in mind that the estimates within age, sex, residence, and race categories represent the actual location of cases in a fairly large sample.

In some cases, the figures in rows and columns do not add to the total which is presented for the row or column. This is because the estimating procedure involved fractions and the computer rounded numbers but did not correct totals for rounding.

A particular qualification is in order in the interpretation of the attitudinal data. The responses do not come from a cross-section of Oklahoma residents, but rather represent the attitudes of adults who are found at home mainly during ordinary daytime working hours. In this category, women and older persons are over-represented.

Projections of the population having disabilities in 1970 and 1975 are based on the assumption that the proportion of the total population in each sex, race, residence, and age category, especially within Planning Areas, will remain substantially the same, and that the proportion of persons in each of these categories who have disabilities will be

unchanged. It was necessary to make these assumptions because of time limitations. Projections are based on the Oklahoma population projections published by the University of Oklahoma Bureau of Business Research.

TABLE I-A

ESTIMATES OF NUMBERS OF PERSONS IN OKLAHOMA HAVING DISABILITIES, 1967, BY AGE, SEX, RESIDENCE, AND RACE

		Grand Total	Urban			Rural		
			Total Urban	White	Non-white	Total Rural	White	Non-white
Totals	Male	222,103	103,340	92,543	10,797	118,763	110,666	8,097
	Female	205,522	111,437	100,255	11,182	94,085	88,301	5,784
Age	Male	5,013	2,314	1,542	771	2,699	2,314	386
0-5	Female	4,242	2,314	1,542	771	1,928	1,928	-
6-10	Male	12,725	8,483	6,170	2,314	4,242	3,856	386
	Female	4,242	2,314	2,314	-	1,928	1,928	-
11-15	Male	9,254	4,242	4,242	-	5,013	4,627	386
	Female	10,797	5,398	4,242	1,157	5,398	5,013	386
16-20	Male	15,038	6,170	6,170	-	8,869	8,869	-
	Female	8,869	5,784	5,784	-	3,085	2,699	386
21-30	Male	14,267	7,712	7,326	386	6,555	6,555	-
	Female	12,339	8,869	8,869	-	3,470	3,470	-
31-40	Male	20,437	8,483	8,097	386	11,953	11,568	386
	Female	17,352	10,025	8,869	1,157	7,326	7,326	-
41-50	Male	36,632	18,509	16,195	2,314	18,123	16,966	1,157
	Female	30,076	18,123	16,580	1,542	11,953	11,568	386
51-64	Male	57,068	22,365	20,822	1,542	34,704	32,390	2,314
	Female	61,310	27,763	24,678	3,085	33,547	30,462	3,085
65 +	Male	51,670	25,064	21,979	3,085	26,606	23,521	3,085
	Female	56,297	30,848	27,377	3,470	25,449	23,907	1,542

TABLE I-B

PROJECTIONS OF NUMBERS OF PERSONS IN OKLAHOMA HAVING DISABILITIES, 1970, BY AGE, SEX, RESIDENCE, AND RACE

		Grand Total	Urban			Rural		
			Total Urban	White	Non-white	Total Rural	White	Non-white
Totals	Male	231,720	107,814	96,550	11,264	123,906	115,458	8,448
	Female	214,221	116,262	104,596	11,666	98,159	92,125	6,034
Age 0-5	Male	5,230	2,414	1,609	805	2,816	2,414	402
	Female	4,425	2,414	1,609	805	2,011	2,011	-
6-10	Male	13,276	8,850	6,437	2,414	4,425	4,023	402
	Female	4,425	2,414	2,414	-	2,011	2,011	-
11-15	Male	9,655	4,425	4,425	-	5,230	4,828	402
	Female	11,264	5,632	4,425	1,207	5,632	5,230	402
16-20	Male	15,689	6,437	6,437	-	9,253	9,253	-
	Female	9,253	6,034	6,034	-	3,218	2,816	402
21-30	Male	14,885	8,046	7,944	402	6,839	6,839	-
	Female	12,873	9,253	9,253	-	3,621	3,621	-
31-40	Male	21,321	8,850	8,448	402	12,471	12,069	402
	Female	18,103	10,460	9,253	1,207	7,644	7,644	-
41-50	Male	38,218	19,310	16,896	2,414	18,908	17,701	1,207
	Female	31,379	18,908	17,299	1,609	12,471	12,069	402
51-64	Male	59,539	23,333	21,724	1,609	36,206	33,793	2,414
	Female	63,964	28,965	25,747	3,218	34,999	31,781	3,218
65 +	Male	53,907	26,149	22,931	3,218	27,758	24,540	3,218
	Female	58,735	32,183	28,563	3,621	26,551	24,942	1,609

TABLE I-C

PROJECTIONS OF NUMBERS OF PERSONS IN OKLAHOMA HAVING DISABILITIES, 1975, BY AGE, SEX, RESIDENCE, AND RACE

		Grand Total	Urban			Rural		
			Total Urban	White	Non-white	Total Rural	White	Non-white
Totals	Male	240,550	111,923	100,229	11,693	128,627	119,857	8,770
	Female	222,592	120,693	108,582	12,111	101,900	95,635	6,264
Age	Male	5,429	2,506	1,670	835	2,923	2,506	418
0-5	Female	4,594	2,506	1,670	835	2,088	2,088	-
6-10	Male	13,782	9,188	6,682	2,506	4,594	4,176	418
	Female	4,594	2,506	2,506	-	2,088	2,088	-
11-15	Male	10,023	4,594	4,594	-	5,429	5,011	418
	Female	11,693	5,847	4,594	1,253	5,846	5,429	418
16-20	Male	16,287	6,682	6,682	-	9,605	9,605	-
	Female	9,605	6,264	6,264	-	3,341	2,923	418
21-30	Male	15,452	8,352	7,935	418	7,100	7,100	-
	Female	13,364	9,605	9,605	-	3,759	3,759	-
31-40	Male	22,134	9,188	8,770	418	12,946	12,529	418
	Female	18,793	10,858	9,605	1,253	7,935	7,935	-
41-50	Male	39,674	20,046	17,540	2,506	19,628	18,375	1,253
	Female	32,574	19,628	17,958	1,670	12,946	12,529	418
51-64	Male	61,808	24,222	22,552	1,670	37,586	35,080	2,506
	Female	66,402	30,069	26,728	3,341	36,333	32,992	3,341
65 +	Male	55,961	27,145	23,804	3,341	28,816	25,475	3,341
	Female	60,973	33,410	29,651	3,759	27,563	25,893	1,670

TABLE II-A
ESTIMATES OF NUMBERS OF PERSONS IN OKLAHOMA HAVING DISABILITIES,
1967, BY TYPE OF DISABILITY, RESIDENCE, SEX, RACE, AND AGE

		Type of Disability					
		Visual Defects	Hearing Defects	Functional Impairments	Absence of Limb or Amputations	Mental or Personality Disorders	Other Conditions*
Totals	24,292	25,449		129,560		8,483	13,881
Urban	15,038	10,411		62,466		2,699	8,097
Rural	9,254	15,038		67,094		5,784	5,784
Male	13,110	14,653		70,564		7,326	8,869
Female	11,182	10,797		58,996		1,157	5,013
White	22,750	23,907		112,979		8,097	13,110
Nonwhite	1,542	1,542		16,581		386	771
0-5	771	-		386		386	771
6-10	1,542	771		2,699		771	1,542
11-15	1,157	771		3,085		386	771
16-20	1,928	386		5,398		386	1,157
21-30	2,699	386		6,170		386	1,928
31-40	2,314	1,542		10,797		1,157	2,314
41-50	3,085	4,242		21,593		1,157	1,157
51-60	4,627	7,712		41,644		2,314	3,085
65+	6,170	9,640		37,788		1,542	1,157

*Such as cancer, leukemia, allergy, nutritional diseases, diabetes, asthma, anaemia, epilepsy, heart and circulatory conditions, tuberculosis, emphysema, chronic bronchitis, ulcers, conditions of the genito-urinary system, and speech impairments such as cleft palate, harelip, stuttering, and aphasia.

TABLE II-B
PROJECTIONS OF NUMBERS OF PERSONS IN OKLAHOMA HAVING DISABILITIES,
1970, BY TYPE OF DISABILITY, RESIDENCE, SEX, RACE, AND AGE

		Type of Disability					
		Visual Defects	Hearing Defects	Functional Impairments	Absence of Limb or Amputations	Mental or Personality Disorders	Other Conditions*
Totals	25,344	26,551		135,170	8,850	14,483	235,743
Urban	15,689	10,862		65,171	2,816	8,448	121,090
Rural	9,655	15,689		69,999	6,034	6,034	114,653
Male	13,678	15,287		73,619	7,644	9,253	111,837
Female	11,666	11,264		61,551	1,207	5,230	123,906
White	23,735	24,942		117,871	8,448	13,678	217,640
Nonwhite	1,609	1,609		17,299	4,02	805	18,103
0-5	805	-		402	402	805	7,241
6-10	1,609	805		2,816	805	1,609	10,057
11-15	1,207	805		3,218	402	805	14,483
16-20	2,011	402		5,632	402	1,207	15,287
21-30	2,816	402		6,437	402	2,011	15,689
31-40	2,414	1,609		11,264	1,207	2,414	20,517
41-50	3,218	4,425		22,528	1,207	1,207	37,011
51-60	4,828	8,046		43,448	2,414	3,218	61,551
65+	6,437	10,057		39,425	1,609	1,207	53,907

*Such as cancer, leukemia, allergy, nutritional diseases, diabetes, asthma, anaemia, epilepsy, heart and circulatory conditions, tuberculosis, emphysema, chronic bronchitis, ulcers, conditions of the genito-urinary system, and speech impairments such as cleft palate, harelip, stuttering, and aphasia.

TABLE II-C
PROJECTIONS OF NUMBERS OF PERSONS IN OKLAHOMA HAVING DISABILITIES,
1975, BY TYPE OF DISABILITY, RESIDENCE, SEX, RACE, AND AGE

		Type of Disability				
		Hearing Defects	Functional Impairments	Absence of Limb or Amputations	Mental or Personality Disorders	Other Conditions*
Totals	26,310	27,563	140,321	9,188	15,034	244,726
Urban	16,287	11,276	67,655	2,923	8,770	125,704
Rural	10,023	16,287	72,666	6,264	6,264	119,022
Male	14,199	15,870	76,425	7,935	9,605	116,099
Female	12,111	11,693	63,896	1,253	5,429	128,627
White	24,640	25,893	122,363	8,770	14,199	225,933
Nonwhite	1,670	1,670	17,958	418	835	18,793
0-5	835	-	418	418	835	7,517
6-10	1,670	835	2,923	835	1,670	10,441
11-15	1,253	835	3,341	418	835	15,034
16-20	2,088	418	5,847	418	1,283	15,870
21-30	2,923	418	6,682	418	2,088	16,287
31-40	2,506	1,670	11,693	1,253	2,506	21,299
41-50	3,341	4,594	23,387	1,253	1,283	38,421
51-60	5,011	8,352	45,103	2,506	2,341	63,896
65 +	6,682	10,441	40,927	1,670	1,253	55,961

*Such as cancer, leukemia, allergy, nutritional diseases, diabetes, asthma, anaemia, epilepsy, heart and circulatory conditions, tuberculosis, emphysema, chronic bronchitis, ulcers, conditions of the genito-urinary system, and speech impairments such as cleft palate, harelip, stuttering, and aphasia.

TABLE III

CHARACTERISTICS OF PERSONS HAVING DISABILITIES IN OKLAHOMA
AND IN EACH VOCATIONAL REHABILITATION PLANNING AREA, 1967

	Oklahoma	Planning Area			
		1	2	3	4
Totals	441,611	67,895	29,182	25,862	26,965
Employed Full-time	120,614	16,438	7,708	5,778	5,778
Employed Part-time	26,006	5,003	1,652	2,476	-
Ages 16-64 Unemployed	125,378	20,369	6,607	8,254	3,852
Ages 16-64 Median School Years Completed	11.5	12	7	10	8
Employed when Disability occurred	159,257	24,299	12,664	10,730	9,630
Have talked with VR Counselor	31,918	9,291	1,101	2,751	1,926
Willing to Leave Home for Services or Training	67,364	11,792	1,652	6,603	3,852
Willing to Leave Home for Employment	66,128	9,648	2,753	6,328	3,852
Willing to Utilize Services of a Sheltered Workshop	40,342	5,717	2,202	4,952	-
Currently Receiving Services through Vocational Rehabilitation Facilities	2,427	1,787	-	-	-

TABLE III (CONTINUED)

CHARACTERISTICS OF PERSONS HAVING DISABILITIES IN OKLAHOMA
AND IN EACH VOCATIONAL REHABILITATION PLANNING AREA, 1967

	Planning Area		
	5	6	7
Totals	31,169	39,623	33,645
Employed Full-time	9,148	12,143	10,835
Employed Part-time	2,033	1,278	2,566
Ages 16-64 Unemployed	9,825	10,225	9,979
Ages 16-64 Median School Years Completed	9.5	9.5	12
Employed when Disability occurred	12,197	16,616	15,112
Have talked with VR Counselor	1,694	1,278	855
Willing to Leave Home for Services or Training	2,372	1,917	11,120
Willing to Leave Home for Employment	2,372	2,556	11,120
Willing to Utilize Services of a Sheltered Workshop	1,694	3,834	3,707
Currently Receiving Services through Vocational Rehabilitation Facilities	-	-	-

TABLE III (CONTINUED)

CHARACTERISTICS OF PERSONS HAVING DISABILITIES IN OKLAHOMA
AND IN EACH VOCATIONAL REHABILITATION PLANNING AREA, 1967

	Planning Area		
	8	9	10
Totals	13,708	16,172	160,392
Employed Full-time	3,247	3,067	46,472
Employed Part-time	1,804	558	8,636
Ages 16-64 Unemployed	3,968	4,182	48,117
Ages 16-64 Median School Years Completed	11.5	11	12
Employed when Disability occurred	4,329	4,740	48,940
Have talked with VR Counselor	1,082	836	11,104
Willing to Leave Home for Services or Training	1,443	1,115	25,498
Willing to Leave Home for Employment	1,443	558	25,498
Willing to Utilize Services of a Sheltered Workshop	1,082	1,115	16,039
Currently Receiving Services through Vocational Rehabilitation Facilities	361	279	-

TABLE IV

ESTIMATES OF NUMBERS OF PERSONS IN OKLAHOMA WHO HAVE SPENT TIME IN MENTAL HOSPITALS OR CORRECTIONAL INSTITUTIONS

	The State	Planning area									
		1	2	3	4	5	6	7	8	9	10
Mental Hospitals	15,383	1,428	-	1,925	1,926	1,017	-	755	361	1,395	6,576
Correctional Institutions	4,809	357	-	825	-	339	-	-	-	-	3,288

TABLE V

ATTITUDES OF RESPONDENTS TOWARD MENTAL HOSPITALS

		Number	Per Cent
Believe Mental Hospitals Primarily	Custodial Treatment	186	11.5
		1,423	88.5
Believe Proportion Remitted is	Less than 1/4	489	26.8
	Between 1/4 and 1/2	817	44.8
	Between 1/2 and 3/4	429	23.5
	More than 3/4	88	4.9

TABLE VI

ATTITUDES OF RESPONDENTS TOWARD FORMER INMATES OF MENTAL HOSPITALS AND PRISONS

		Number	Per Cent
Reactions to working near a former mental hospital patient	Neutral	1,331	68.5
	Some misgivings	315	16.2
	Somewhat uneasy	252	13.0
	Very uneasy	46	2.3
Reactions to working near a former prison inmate	Neutral	1,041	53.9
	Some misgivings	473	24.5
	Somewhat uneasy	322	16.6
	Very uneasy	97	5.0

TABLE VII-A

ESTIMATES OF NUMBERS OF PERSONS IN AREA 1 HAVING
DISABILITIES, 1967, BY AGE, SEX, RESIDENCE, AND RACE

	Grand Total	Urban			Rural		
		Total Urban	White	Non-white	Total Rural	White	Non-white
Totals	Male 36,806	16,080	14,651	1,429	20,726	18,582	2,144
	Female 29,302	16,795	14,294	2,501	12,507	11,435	1,072
Age	Male 1,429	715	715	-	715	357	357
0-5	Female 715	357	357	-	357	357	-
6-10	Male 2,144	1,787	-	357	357	-	357
	Female 357	357	357	-	-	-	-
11-15	Male 2,144	715	715	-	1,429	1,429	-
	Female 1,787	715	715	-	1,072	1,072	-
16-20	Male 3,573	1,787	1,787	-	1,787	1,787	-
	Female 1,787	1,429	1,429	-	357	357	-
21-30	Male 3,931	1,787	1,787	-	2,144	2,144	-
	Female 1,429	357	357	-	1,072	1,072	-
31-40	Male 2,501	357	357	-	2,144	2,144	-
	Female 2,501	1,787	1,429	357	715	715	-
41-50	Male 6,075	3,931	3,216	715	2,144	1,429	715
	Female 4,646	2,859	1,787	1,072	1,787	1,429	357
51-64	Male 7,147	1,787	1,787	-	5,360	5,003	357
	Female 7,862	3,931	3,931	-	3,931	3,573	357
65 +	Male 7,862	3,216	2,859	357	4,645	4,288	357
	Female 8,219	5,003	3,931	1,072	3,216	2,859	357

TABLE VII-B

PROJECTIONS OF NUMBERS OF PERSONS IN AREA 1 HAVING DISABILITIES, 1970, BY AGE, SEX, RESIDENCE, AND RACE

		Grand Total	Urban			Rural		
			Total Urban	White	Non-white	Total Rural	White	Non-white
Totals	Male	47,632	20,810	18,960	1,850	26,822	24,047	2,775
	Female	37,921	21,735	18,498	3,237	16,186	14,798	1,387
Age	Male	1,850	925	925	-	925	462	462
0-5	Female	925	462	462	-	462	462	-
6-10	Male	2,775	2,312	1,850	462	462	-	462
	Female	462	462	462	-	-	-	-
11-15	Male	2,775	925	925	-	1,850	1,850	-
	Female	2,312	925	925	-	1,387	1,387	-
16-20	Male	4,624	2,312	2,312	-	2,312	2,312	-
	Female	2,312	1,850	1,850	-	462	462	-
21-30	Male	5,087	2,312	2,312	-	2,775	2,775	-
	Female	1,850	462	462	-	1,387	1,387	-
31-40	Male	3,237	462	462	-	2,775	2,775	-
	Female	3,237	2,312	1,850	462	925	925	-
41-50	Male	7,862	5,087	4,162	925	2,775	1,850	925
	Female	6,012	3,700	2,312	1,387	2,312	1,850	462
51-64	Male	9,249	2,312	2,312	-	6,937	6,474	462
	Female	10,174	5,087	5,087	-	5,087	4,624	462
65 +	Male	10,174	4,162	3,700	462	6,012	5,549	462
	Female	10,636	6,474	5,087	1,387	4,162	3,700	462

TABLE VII-C

PROJECTIONS OF NUMBERS OF PERSONS IN AREA 1 HAVING DISABILITIES, 1975, BY AGE, SEX, RESIDENCE, AND RACE

	Grand Total	Urban			Rural		
		Total Urban	White	Non-white	Total Rural	White	Non-white
Totals	Male 50,667 Female 40,337	22,136 23,120	20,169 19,677	1,968 3,443	28,531 17,217	25,580 15,741	2,951 1,476
Age 0-5	Male 1,968 Female 984	984 492	984 492	-	984 492	492 492	492 -
6-10	Male 2,951 Female 492	2,460 492	1,968 492	492 -	492 -	- -	492 -
11-15	Male 2,951 Female 2,460	984 984	984 984	-	1,968 1,476	1,968 1,476	- -
16-20	Male 4,919 Female 2,460	2,460 1,968	2,460 1,968	-	2,460 492	2,460 492	- -
21-30	Male 5,411 Female 1,968	2,460 492	2,460 492	-	2,951 1,476	2,951 1,476	- -
31-40	Male 3,443 Female 3,443	492 2,460	492 1,968	492 492	2,951 984	2,951 984	- -
41-50	Male 8,363 Female 6,395	5,411 3,935	4,427 2,460	984 1,476	2,951 2,460	1,968 1,968	984 492
51-64	Male 9,838 Female 10,822	2,460 5,411	2,460 5,411	-	7,379 5,411	6,887 4,919	492 492
65 +	Male 10,822 Female 11,314	4,427 6,887	3,935 5,411	492 1,476	6,395 4,427	5,903 3,935	492 492

TABLE VIII-A

ESTIMATES OF NUMBERS OF PERSONS IN AREA 1 HAVING DISABILITIES,
1967, BY TYPE OF DISABILITY, RESIDENCE, SEX, RACE, AND AGE

	Type of Disability			
	Visual Defects	Hearing Defects	Functional Impairments	Absence of Limb or Amputations
			Mental or Personality Disorders	Other Conditions*
Totals	3,216	4,645	19,654	1,429
Urban	1,429	1,072	11,435	357
Rural	1,787	3,573	8,219	1,072
Male	1,787	2,501	12,150	1,429
Female	1,429	2,144	7,504	-
White	3,216	4,288	16,080	1,429
Nonwhite	-	357	3,573	-
0-5	-	-	715	-
6-10	-	-	357	357
11-15	357	357	1,072	-
16-20	357	-	1,429	-
21-30	715	357	1,787	357
31-40	-	-	1,429	-
41-50	357	715	3,931	357
51-64	357	1,787	4,288	715
65 +	1,072	1,429	4,645	-

*Such as cancer, leukemia, allergy, nutritional diseases, diabetes, asthma, anaemia, epilepsy, heart and circulatory conditions, tuberculosis, emphysema, chronic bronchitis, ulcers, conditions of the genito-urinary system, and speech impairments such as cleft palate, harelip, stuttering, and aphasia.

TABLE VIII-B

PROJECTIONS OF NUMBERS OF PERSONS IN AREA 1 HAVING DISABILITIES,
1970, BY TYPE OF DISABILITY, RESIDENCE, SEX, RACE, AND AGE

		Type of Disability				
		Visual Defects	Hearing Defects	Functional Impairments or Amputations	Mental or Personality Disorders	Other Conditions*
Totals	4,162	6,012	25,435	1,850	3,237	51,332
Urban	1,850	1,387	14,798	462	925	27,767
Rural	2,312	4,624	10,636	1,387	2,312	23,585
Male	2,312	3,237	15,723	1,850	2,312	25,435
Female	1,850	2,775	9,711	-	925	25,897
White	4,162	5,549	20,810	1,850	3,237	46,245
Nonwhite	-	4,622	4,624	-	-	5,087
0-5	-	-	925	-	462	1,850
6-10	-	-	462	-	462	2,312
11-15	462	462	1,387	-	-	2,775
16-20	462	-	1,850	-	462	4,162
21-30	925	462	2,312	462	462	2,775
31-40	-	-	1,850	-	462	4,162
41-50	462	925	5,087	462	462	9,711
51-60	462	2,312	5,544	925	-	10,174
65+	1,387	1,850	6,012	-	462	12,949

*Such as cancer, leukemia, allergy, nutritional diseases, diabetes, asthma, anaemia, epilepsy, heart and circulatory conditions, tuberculosis, emphysema, chronic bronchitis, ulcers, conditions of the genito-urinary system, and speech impairments such as cleft palate, harelip, stuttering, and aphasia.

TABLE VIII-C
PROJECTIONS OF NUMBERS OF PERSONS IN AREA 1 HAVING DISABILITIES,
1975, BY TYPE OF DISABILITY, RESIDENCE, SEX, RACE, AND AGE

		Type of Disability				
		Hearing Defects	Visual Defects	Functional Impairments or Amputations	Mental or Personality Disorders	Other Conditions*
Totals	4,427	6,395	27,055	1,968	3,443	54,603
Urban	1,968	1,476	15,741	492	984	29,515
Rural	2,460	4,919	11,314	1,476	2,460	25,088
Male	2,460	3,443	16,725	-	2,460	27,055
Female	1,968	2,951	10,330	-	984	27,547
White	4,427	5,903	22,136	1,968	3,443	49,191
Nonwhite	-	4,92	4,919	-	-	5,411
0-5	-	-	-	984	-	1,968
6-10	-	-	-	492	-	2,460
11-15	492	492	1,476	-	492	2,951
16-20	492	-	1,968	-	492	4,427
21-30	984	492	2,460	492	492	2,951
31-40	-	-	1,968	-	492	4,919
41-50	492	984	5,411	492	492	10,330
51-64	492	2,460	5,903	984	-	10,822
65+	1,476	1,968	6,395	-	492	13,774

*Such as cancer, leukemia, allergy, nutritional diseases, diabetics, asthma, anaemia, epilepsy, heart and circulatory conditions, tuberculosis, emphysema, chronic bronchitis, ulcers, conditions of the genito-urinary system, and speech impairments such as cleft palate, harelip, stuttering, and aphasia.

TABLE IX-A

ESTIMATES OF NUMBERS OF PERSONS IN AREA 2 HAVING
DISABILITIES, 1967, BY AGE, SEX, RESIDENCE, AND RACE

		Grand Total	Urban			Rural		
			Total Urban	White	Non-white	Total Rural	White	Non-white
Totals	Male	17,069	9,360	6,056	3,304	7,708	4,955	2,753
	Female	12,113	6,057	4,405	1,652	6,057	4,955	1,101
Age	Male	551	551	-	551	-	-	-
0-5	Female	-	-	-	-	-	-	-
6-10	Male	1,101	1,101	-	1,101	-	-	-
	Female	551	551	551	-	-	-	-
11-15	Male	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-
16-20	Male	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-
21-30	Male	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-
31-40	Male	1,101	-	-	-	1,101	551	551
	Female	1,101	1,101	1,101	-	-	-	-
41-50	Male	3,854	2,753	2,202	551	1,101	1,101	-
	Female	1,101	1,101	1,101	-	-	-	-
51-64	Male	5,506	2,753	2,202	551	2,753	1,652	1,101
	Female	4,405	1,101	-	1,101	3,304	2,753	551
65 +	Male	4,955	2,202	1,652	551	2,753	1,652	1,101
	Female	4,955	2,202	1,652	551	2,753	2,202	551

TABLE IX-B

PROJECTIONS OF NUMBERS OF PERSONS IN AREA 2 HAVING DISABILITIES, 1970, BY AGE, SEX, RESIDENCE, AND RACE

		Grand Total	Urban			Rural		
			Total Urban	White	Non-white	Total Rural	White	Non-white
Totals	Male	16,948	9,294	6,014	3,280	7,654	4,920	2,734
	Female	12,028	6,014	4,374	1,640	6,014	4,920	1,093
Age	Male	547	547	-	547	-	-	-
0-5	Female	-	-	-	-	-	-	-
6-10	Male	1,093	1,093	-	1,093	-	-	-
	Female	547	547	547	-	-	-	-
11-15	Male	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-
16-20	Male	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-
21-30	Male	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-
31-40	Male	1,093	-	-	-	1,093	547	547
	Female	1,093	1,093	1,093	-	-	-	-
41-50	Male	3,827	2,734	2,187	547	1,093	1,093	-
	Female	1,093	1,093	1,093	-	-	-	-
51-64	Male	5,467	2,734	2,187	547	2,734	1,640	1,093
	Female	4,734	1,093	-	1,093	3,280	2,734	547
65 +	Male	4,920	2,187	1,640	547	2,734	1,640	1,093
	Female	4,920	2,187	1,640	547	2,734	2,187	547

TABLE IX-C

PROJECTIONS OF NUMBERS OF PERSONS IN AREA 2 HAVING DISABILITIES, 1975, BY AGE, SEX, RESIDENCE, AND RACE

	Grand Total	Urban			Rural		
		Total Urban	White	Non-white	Total Rural	White	Non-white
Totals							
	Male	16,682	9,148	5,919	3,229	7,534	4,843
	Female	11,839	5,919	4,305	1,614	5,919	4,843
Age	Male	538	538	-	538	-	-
0-5	Female	-	-	-	-	-	-
6-10	Male	1,076	1,076	-	1,076	-	-
	Female	538	538	538	-	-	-
11-15	Male	-	-	-	-	-	-
	Female	-	-	-	-	-	-
16-20	Male	-	-	-	-	-	-
	Female	-	-	-	-	-	-
21-30	Male	-	-	-	-	-	-
	Female	-	-	-	-	-	-
31-40	Male	1,076	-	-	-	1,076	538
	Female	1,076	1,076	1,076	-	-	-
41-50	Male	3,767	2,691	2,152	538	1,076	1,076
	Female	1,076	1,076	1,076	-	-	-
51-64	Male	5,381	2,691	2,152	538	2,691	1,614
	Female	4,305	1,076	-	1,076	3,229	2,691
65 +	Male	4,843	2,152	1,614	538	2,691	1,614
	Female	4,843	2,152	1,614	538	2,691	1,076
							538

TABLE X-A

ESTIMATES OF NUMBERS OF PERSONS IN AREA 2 HAVING DISABILITIES,
1967, BY TYPE OF DISABILITY, RESIDENCE, SEX, RACE, AND AGE

Type of Disability					
	Visual Defects	Hearing Defects	Functional Impairments	Absence of Limb or Amputations	Mental or Personality Disorders
Totals	551	3,304	8,259	551	1,101
Urban	551	551	4,955	551	1,101
Rural	-	2,753	3,304	-	-
Male	551	1,652	4,955	551	1,101
Female	-	1,652	3,304	-	-
White	551	3,304	4,955	551	1,101
Nonwhite	-	3,304	3,304	-	-
0-5	-	-	-	-	-
6-10	-	-	-	-	-
11-15	-	-	-	-	-
16-20	-	-	-	-	-
21-30	-	-	-	-	-
31-40	-	-	551	551	1,101
41-50	-	-	-	551	4,405
51-64	-	-	1,652	3,854	5,506
65 +	551	1,101	3,304	-	6,607

*Such as cancer, leukemia, allergy, nutritional diseases, diabetes, asthma, anaemia, epilepsy, heart and circulatory conditions, tuberculosis, emphysema, chronic bronchitis, ulcers, conditions of the genito-urinary system, and speech impairments such as cleft palate, harelip, stuttering, and aphasia.

TABLE X-B
PROJECTIONS OF NUMBERS OF PERSONS IN AREA 2 HAVING DISABILITIES,
1970, BY TYPE OF DISABILITY, RESIDENCE, SEX, RACE, AND AGE

		Type of Disability				
		Visual Defects	Hearing Defects	Functional Impairments or Amputations	Mental or Personality Disorders	Other Conditions*
Totals	547	3,280	8,201	547	1,094	18,588
Urban	547	547	4,920	547	1,094	9,294
Rural	-	2,734	3,280	-	-	9,294
Male	547	1,640	4,920	547	1,094	9,841
Female	-	1,640	3,280	-	-	8,747
White	547	3,280	4,920	547	-	14,215
Nonwhite	-	3,280	3,280	-	1,094	4,374
0-5	-	-	-	-	-	547
6-10	-	-	-	-	1,094	547
11-15	-	-	-	-	-	-
16-20	-	-	-	-	-	-
21-30	-	-	-	-	-	-
31-40	-	-	547	547	-	1,094
41-50	-	-	-	547	-	4,374
51-64	-	-	1,640	-	547	5,467
65+	547	1,094	-	-	-	6,561

*Such as cancer, leukemia, allergy, nutritional diseases, diabetes, asthma, anaemia, epilepsy, heart and circulatory conditions, tuberculosis, emphysema, chronic bronchitis, ulcers, conditions of the genito-urinary system, and speech impairments such as cleft palate, harelip, stuttering, and aphasia.

TABLE X-C
PROJECTIONS OF NUMBERS OF PERSONS IN AREA 2 HAVING DISABILITIES,
1975, BY TYPE OF DISABILITY, RESIDENCE, SEX, RACE, AND AGE

	Type of Disability				
	Visual Defects	Hearing Defects	Functional Impairments or Amputations	Mental or Personality Disorders	Other Conditions*
Totals	538	3,229	8,072	538	1,076
Urban	538	538	4,843	538	1,076
Rural	-	2,691	3,229	-	-
Male	538	1,614	4,843	538	1,076
Female	-	1,614	3,229	-	-
White	538	3,229	4,843	538	1,076
Nonwhite	-	3,229	3,229	-	-
0-5	-	-	-	-	-
6-10	-	-	-	-	-
11-15	-	-	-	-	-
16-20	-	-	-	-	-
21-30	-	-	-	-	-
31-40	-	538	538	-	-
41-50	-	-	538	-	-
51-64	-	1,614	3,767	538	-
65+	538	1,076	3,229	-	-

*Such as cancer, leukemia, allergy, nutritional diseases, diabetes, asthma, anaemia, epilepsy, heart and circulatory conditions, tuberculosis, emphysema, chronic bronchitis, ulcers, conditions of the genito-urinary system, and speech impairments such as cleft palate, harelip, stuttering, and aphasia.

TABLE XI-A

ESTIMATES OF NUMBERS OF PERSONS IN AREA 3 HAVING
DISABILITIES, 1967, BY AGE, SEX, RESIDENCE, AND RACE

	Grand Total	Urban			Rural		
		Total Urban	White	Non-white	Total Rural	White	Non-white
Totals							
	Male	14,582	3,577	3,302	275	11,005	10,730
	Female	11,280	5,227	3,577	1,651	6,052	6,052
Age	Male	550	-	-	-	275	275
0-5	Female	550	550	-	550	-	-
6-10	Male	550	550	550	-	-	-
	Female	275	-	-	-	275	275
11-15	Male	550	-	-	-	550	550
	Female	275	275	-	275	-	-
16-20	Male	-	-	-	-	-	-
	Female	550	-	-	-	550	550
21-30	Male	1,100	275	275	-	825	825
	Female	275	275	275	-	-	-
31-40	Male	2,201	550	550	-	1,651	1,651
	Female	1,376	825	550	275	550	550
41-50	Male	2,201	275	275	-	1,926	1,926
	Female	550	-	-	-	550	550
51-64	Male	3,302	550	550	-	2,751	2,476
	Female	4,127	1,650	1,101	550	2,476	2,476
65 +	Male	4,402	1,376	1,101	275	3,026	3,026
	Female	3,301	1,651	1,651	-	1,651	1,651

TABLE XI-B

PROJECTIONS OF NUMBERS OF PERSONS IN AREA 3 HAVING DISABILITIES, 1970, BY AGE, SEX, RESIDENCE, AND RACE

	Grand Total	Urban			Rural		
		Total Urban	White	Non-white	Total Rural	White	Non-white
Totals	Male 11,951 Female 9,245	2,931 4,284	2,706 2,931	225 1,353	9,019 4,961	8,794 4,961	225 -
Age	Male 451 Female 451	- 451	- -	- 451	225 -	225 -	- -
0-5	Male 451 Female 451	451 -	451 -	- -	- 225	- 225	- -
6-10	Male 451 Female 225	451 -	451 -	- -	- 225	- 225	- -
11-15	Male 451 Female 225	- 225	- -	- 225	451 -	451 -	- -
16-20	Male - Female 451	- 451	- -	- -	- 451	- 451	- -
21-30	Male 902 Female 225	225 225	225 225	- -	676 -	676 -	- -
31-40	Male 1,804 Female 1,127	451 676	451 451	- 225	1,353 451	1,353 451	- -
41-50	Male 1,804 Female 451	225 -	225 -	- -	1,578 451	1,578 451	- -
51-64	Male 2,706 Female 3,382	451 1,353	451 902	- 451	2,255 2,029	2,029 2,029	225 -
65 +	Male 3,608 Female 2,706	1,127 1,353	902 1,353	225 -	2,480 1,353	2,480 1,353	- -

TABLE XI-C

PROJECTIONS OF NUMBERS OF PERSONS IN AREA 3 HAVING
DISABILITIES, 1975, BY AGE, SEX, RESIDENCE, AND RACE

	Grand Total	Urban			Rural		
		Total Urban	White	Non-white	Total Rural	White	Non-white
Totals	Male 12,150 Female 9,399	2,980 4,356	2,751 2,980	229 1,375	9,170 5,043	8,940 5,043	229 -
Age 0-5	Male 458 Female 458	- 458	- 458	- 458	229 -	229 -	- -
6-10	Male 458 Female 229	458 -	458 -	- -	- 229	- 229	- -
11-15	Male 458 Female 229	- 229	- 229	- 229	458 -	458 -	- -
16-20	Male - Female 458	- 458	- -	- -	- 458	- 458	- -
21-30	Male 917 Female 229	229 229	229 229	- -	688 -	688 -	- -
31-40	Male 1,834 Female 1,146	458 688	458 458	- 229	1,375 458	1,375 458	- -
41-50	Male 1,834 Female 458	229 -	229 -	- -	1,605 458	1,605 458	- -
51-64	Male 2,751 Female 3,439	458 1,375	458 917	- 458	2,292 2,063	2,063 2,063	229 -
65 +	Male 3,668 Female 2,751	1,146 1,375	917 1,375	229 -	2,522 1,375	2,522 1,375	- -

TABLE XII-A
ESTIMATES OF NUMBERS OF PERSONS IN AREA 3 HAVING DISABILITIES,
1967, BY TYPE OF DISABILITY, RESIDENCE, SEX, RACE, AND AGE

		Type of Disability		Mental or Personality Disorders	Other Conditions*
	Visual Defects	Hearing Defects	Functional Impairments or Amputations		
Totals	550	2,201	10,730	550	1,101
Urban	275	275	3,026	275	825
Rural	275	1,926	7,704	275	275
Male	550	1,376	5,227	275	825
Female	-	825	5,503	275	275
White	550	2,201	9,620	550	1,101
Nonwhite	-	-	1,101	-	-
0-5	-	-	-	-	825
6-10	-	-	-	-	275
11-15	-	-	275	-	-
16-20	-	-	-	275	275
21-30	-	-	275	275	275
31-40	-	550	1,101	275	275
41-50	-	275	1,101	-	-
51-64	275	825	3,852	275	-
65+	275	550	4,127	275	-

*Such as cancer, leukemia, allergy, nutritional diseases, diabetes, asthma, anaemia, epilepsy, heart and circulatory conditions, tuberculosis, emphysema, chronic bronchitis, ulcers, conditions of the genito-urinary system, and speech impairments such as cleft palate, harelip, stuttering, and aphasia.

TABLE XII-B
PROJECTIONS OF NUMBERS OF PERSONS IN AREA 3 HAVING DISABILITIES,
1970, BY TYPE OF DISABILITY, RESIDENCE, SEX, RACE, AND AGE

		Type of Disability				
		Hearing Defects	Functional Impairments or Amputations	Mental or Personality Disorders	Other Conditions*	
Totals	451	1,804	8,794	451	902	9,019
Urban	225	225	2,480	225	676	3,382
Rural	225	1,578	6,314	225	225	5,637
Male	451	1,127	4,284	225	676	5,186
Female	-	676	4,510	225	225	3,833
White	451	1,804	7,892	451	902	8,117
Nonwhite	-	-	902	-	-	902
0-5	-	-	-	-	-	676
6-10	-	-	-	-	225	451
11-15	-	-	225	-	-	451
16-20	-	-	-	-	225	225
21-30	-	-	225	-	225	676
31-40	-	451	902	-	225	1,353
41-50	-	225	902	-	-	1,127
51-64	225	676	3,157	225	-	2,029
65 +	225	451	3,382	225	-	2,029

*Such as cancer, leukemia, allergy, nutritional diseases, diabetes, asthma, anaemia, epilepsy, heart and circulatory conditions, tuberculosis, emphysema, chronic bronchitis, ulcers, conditions of the genito-urinary system, and speech impairments such as cleft palate, harelip, stuttering, and aphasia.

TABLE XII-C
PROJECTIONS OF NUMBERS OF PERSONS IN AREA 3 HAVING DISABILITIES,
1975, BY TYPE OF DISABILITY, RESIDENCE, SEX, RACE, AND AGE

	Type of Disability				
	Visual Defects	Hearing Defects	Functional Impairments or Amputations	Limb Personality Disorders	Mental or Other Conditions*
Totals	458	1,834	8,940	458	917
Urban	229	229	2,522	229	688
Rural	229	1,605	6,419	229	229
Male	458	1,146	4,356	229	688
Female	-	688	4,585	229	229
White	458	1,834	8,023	458	917
Nonwhite	-	-	917	-	8,253
0-5	-	-	-	-	-
6-10	-	-	-	-	688
11-15	-	-	-	-	458
16-20	-	-	229	-	458
21-30	-	-	-	229	229
31-40	-	458	229	-	688
41-50	-	229	917	-	1,146
51-64	229	688	3,209	229	2,063
65+	229	458	3,439	229	2,063

*Such as cancer, leukemia, allergy, nutritional diseases, diabetes, asthma, anaemia, epilepsy, heart and circulatory conditions, tuberculosis, emphysema, chronic bronchitis, ulcers, conditions of the genito-urinary system, and speech impairments such as cleft palate, harelip, stuttering, and aphasia.

TABLE XIII-A

ESTIMATES OF NUMBERS OF PERSONS IN AREA 4 HAVING
DISABILITIES, 1967, BY AGE, SEX, RESIDENCE, AND RACE

	Grand Total	Urban			Rural		
		Total Urban	White	Non-white	Total Rural	White	Non-white
Totals	Male 13,482	-	-	-	13,482	13,482	-
	Female 11,556	-	-	-	11,556	9,630	1,926
Age	Male -	-	-	-	-	-	-
0-5	Female -	-	-	-	-	-	-
6-10	Male 1,926	-	-	-	1,926	1,926	-
	Female -	-	-	-	-	-	-
11-15	Male -	-	-	-	-	-	-
	Female 1,926	-	-	-	1,926	-	1,926
16-20	Male -	-	-	-	-	-	-
	Female -	-	-	-	-	-	-
21-30	Male -	-	-	-	-	-	-
	Female -	-	-	-	-	-	-
31-40	Male -	-	-	-	-	-	-
	Female -	-	-	-	-	-	-
41-50	Male 1,926	-	-	-	1,926	1,926	-
	Female 1,926	-	-	-	1,926	1,926	-
51-64	Male 5,778	-	-	-	5,778	5,778	-
	Female 3,852	-	-	-	3,852	3,852	-
65 +	Male 3,852	-	-	-	3,852	3,852	-
	Female 3,852	-	-	-	3,852	3,852	-

TABLE XIII-B

PROJECTIONS OF NUMBERS OF PERSONS IN AREA 4 HAVING DISABILITIES, 1970, BY AGE, SEX, RESIDENCE, AND RACE

	Grand Total	Urban			Rural		
		Total Urban	White	Non-white	Total Rural	White	Non-white
Totals	Male 12,239 Female 10,491	-	-	-	12,239 10,491	12,239 8,742	- 1,748
Age	Male	-	-	-	-	-	-
0-5	Female	-	-	-	-	-	-
6-10	Male 1,748 Female -	-	-	-	1,748 -	1,748 -	-
11-15	Male Female 1,748	-	-	-	- 1,748	-	1,748
16-20	Male Female -	-	-	-	-	-	-
21-30	Male Female -	-	-	-	-	-	-
31-40	Male Female -	-	-	-	-	-	-
41-50	Male 1,748 Female 1,748	-	-	-	1,748 1,748	1,748 1,748	-
51-64	Male 5,245 Female 3,497	-	-	-	5,245 3,497	5,245 3,497	-
65 +	Male 3,497 Female 3,497	-	-	-	3,497 3,497	3,497 3,497	-

TABLE XIII-C

PROJECTIONS OF NUMBERS OF PERSONS IN AREA 4 HAVING
DISABILITIES, 1975, BY AGE, SEX, RESIDENCE, AND RACE

		Grand Total	Urban			Rural		
			Total Urban	White	Non-white	Total Rural	White	Non-white
Totals	Male	11,979	-	-	-	11,979	11,979	-
	Female	10,268	-	-	-	10,268	8,557	1,711
Age	Male	-	-	-	-	-	-	-
0-5	Female	-	-	-	-	-	-	-
6-10	Male	1,711	-	-	-	1,711	1,711	-
	Female	-	-	-	-	-	-	-
11-15	Male	1,711	-	-	-	1,711	-	-
	Female	-	-	-	-	-	-	1,711
16-20	Male	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-
21-30	Male	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-
31-40	Male	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-
41-50	Male	1,711	-	-	-	1,711	1,711	-
	Female	1,711	-	-	-	1,711	1,711	-
51-64	Male	5,133	-	-	-	5,133	5,133	-
	Female	3,423	-	-	-	3,423	3,423	-
65 +	Male	3,423	-	-	-	3,423	3,423	-
	Female	3,423	-	-	-	3,423	3,423	-

TABLE XIV-A
ESTIMATES OF NUMBERS OF PERSONS IN OKLAHOMA HAVING DISABILITIES,
1967, BY TYPE OF DISABILITY, RESIDENCE, SEX, RACE, AND AGE

		Type of Disability			
	Visual Defects	Hearing Defects	Functional Impairments or Amputations	Mental or Personality Disorders	Other Conditions*
Totals	-	1,926	5,778	1,926	15,408
Urban	-	-	-	-	-
Rural	-	1,926	5,778	1,926	15,408
Male	-	-	3,852	1,926	5,778
Female	-	1,926	1,926	-	9,630
White	-	1,926	3,852	1,926	13,482
Nonwhite	-	-	-	-	1,926
0-5	-	-	-	-	-
6-10	-	-	-	-	1,926
11-15	-	-	-	-	1,926
16-20	-	-	-	-	-
21-30	-	-	-	-	-
31-40	-	-	-	-	-
41-50	-	-	-	-	7,704
51-64	-	-	3,852	-	-
65 +	-	1,926	1,926	1,926	1,926

*Such as cancer, leukemia, allergy, nutritional diseases, diabetes, asthma, anaemia, epilepsy, heart and circulatory conditions, tuberculosis, emphysema, chronic bronchitis, ulcers, conditions of the genito-urinary system, and speech impairments such as cleft palate, harelip, stuttering, and aphasia.

TABLE XIV-B
PROJECTIONS OF NUMBERS OF PERSONS IN AREA 4 HAVING DISABILITIES,
1970, BY TYPE OF DISABILITY, RESIDENCE, SEX, RACE, AND AGE

		Type of Disability					
		Visual Defects	Hearing Defects	Functional Impairments	Absence of Limb or Amputations	Mental or Personality Disorders	Other Conditions*
Totals	-	-	1,748	5,245	1,748	1,748	13,988
Urban	-	-	1,748	5,245	1,748	1,748	13,988
Rural	-	-	1,748	5,245	1,748	1,748	13,988
Male	-	-	1,748	3,497	1,748	1,748	5,245
Female	-	-	1,748	1,748	-	-	8,742
White	-	-	1,748	5,245	1,748	1,748	12,239
Nonwhite	-	-	-	-	-	-	1,748
0-5	-	-	-	-	-	-	-
6-10	-	-	-	-	-	-	1,748
11-15	-	-	-	-	-	-	1,748
16-20	-	-	-	-	-	-	-
21-30	-	-	-	-	-	-	-
31-40	-	-	-	-	-	-	-
41-50	-	-	-	-	-	1,748	1,748
51-64	-	-	-	3,497	-	-	6,994
65+	-	-	1,748	1,748	1,748	-	1,748

*Such as cancer, leukemia, allergy, nutrititional diseases, diabetes, asthma, anaemia, epilepsy, heart and circulatory conditions, tuberculosis, emphysema, chronic bronchitis, ulcers, conditions of the genito-urinary system, and speech impairments such as cleft palate, harelip, stuttering, and aphasia.

TABLE XIV-J
PROJECTIONS OF NUMBERS OF PERSONS IN AREA 4 HAVING DISABILITIES,
1975, BY TYPE OF DISABILITY, RESIDENCE, SEX, RACE, AND AGE

		Type of Disability					
		Visual Defects	Hearing Defects	Functional Impairments	Absence of Limb or Amputations	Mental or Personality Disorders	Other Conditions*
Totals	-	-	1,711	5,134	1,711	1,711	13,691
Urban	-	-	1,711	5,134	1,711	1,711	13,691
Rural	-	-	1,711	5,134	1,711	1,711	13,691
Male	-	-	1,711	3,423	1,711	1,711	5,134
Female	-	-	1,711	1,711	-	-	8,557
White	-	-	1,711	5,134	1,711	1,711	11,979
Nonwhite	-	-	-	-	-	-	1,711
0-5	-	-	-	-	-	-	-
6-10	-	-	-	-	-	-	1,711
11-15	-	-	-	-	-	-	1,711
16-20	-	-	-	-	-	-	-
21-30	-	-	-	-	-	-	-
31-40	-	-	-	-	-	-	-
41-50	-	-	-	-	-	1,711	1,711
51-64	-	-	-	3,423	1,711	-	6,845
65 +	-	-	1,711	1,711	-	-	1,711

*Such as cancer, leukemia, allergy, nutritional diseases, diabetes, asthma, anemia, epilepsy, heart and circulatory conditions, tuberculosis, emphysema, chronic bronchitis, ulcers, conditions of the genito-urinary system, and speech impairments such as cleft palate, harelip, stuttering, and aphasia.

TABLE XV-A

ESTIMATES OF NUMBERS OF PERSONS IN AREA 5 HAVING
DISABILITIES, 1967, BY AGE, SEX, RESIDENCE, AND RACE

	Grand Total	Urban			Rural		
		Total Urban	White	Non-white	Total Rural	White	Non-white
Totals	Male 15,246	3,049	3,049	-	12,197	12,197	-
	Female 15,923	2,033	2,033	-	13,891	13,213	697
Age	Male -	-	-	-	-	-	-
0-5	Male 339	-	-	-	339	339	-
6-10	Male 1,016	339	339	-	677	677	-
	Female -	-	-	-	-	-	-
11-15	Male -	-	-	-	-	-	-
	Female -	-	-	-	-	-	-
16-20	Male 677	-	-	-	677	677	-
	Female 677	-	-	-	677	677	-
21-30	Male 677	339	339	-	339	339	-
	Female 677	-	-	-	677	677	-
31-40	Male 1,355	339	339	-	1,016	1,016	-
	Female 677	339	339	-	339	339	-
41-50	Male 2,371	677	677	-	1,694	1,694	-
	Female 3,388	339	339	-	3,049	3,049	-
51-64	Male 6,776	677	677	-	6,098	6,098	-
	Female 5,760	677	677	-	5,082	4,743	337
65 +	Male 2,371	677	677	-	1,694	1,694	-
	Female 4,404	677	677	-	3,727	3,388	337

TABLE XV-B

PROJECTIONS OF NUMBERS OF PERSONS IN AREA 5 HAVING DISABILITIES, 1970, BY AGE, SEX, RESIDENCE, AND RACE

	Grand Total	Urban			Rural		
		Total Urban	White	Non-white	Total Rural	White	Non-white
Totals	Male 12,888 Female 13,461	2,578 1,718	2,578 1,718	- -	10,311 11,743	10,311 11,170	- 573
Age	Male 0-5 Female	- 286	- -	- -	- 286	- 286	- -
6-10	Male 859 Female -	286 -	286 -	- -	573 -	573 -	- -
11-15	Male Female	- -	- -	- -	- -	- -	- -
16-20	Male 573 Female 573	- -	- -	- -	573 573	573 573	- -
21-30	Male 573 Female 573	286 -	286 -	- -	286 573	286 573	- -
31-40	Male 1,146 Female 573	286 286	286 286	- -	859 286	859 286	- -
41-50	Male 2,005 Female 2,864	573 286	573 286	- -	1,432 2,578	1,432 2,578	- -
51-64	Male 5,728 Female 4,869	573 573	573 573	- -	5,155 4,296	5,155 4,010	- 286
65 +	Male 2,005 Female 3,723	573 573	573 573	- -	1,432 3,151	1,432 2,864	- 286

TABLE XV-C

PROJECTIONS OF NUMBERS OF PERSONS IN AREA 5 HAVING
DISABILITIES, 1975, BY AGE, SEX, RESIDENCE, AND RACE

	Grand Total	Urban			Rural		
		Total Urban	White	Non-white	Total Rural	White	Non-white
Totals	Male 12,946 Female 13,521	2,589 1,726	2,589 1,726	-	10,356 11,795	10,356 11,219	- 575
Age	Male - 0-5 Female 288	- -	- -	- -	- 286	- 286	- -
6-10	Male 863 Female -	286 -	286 -	- -	575 -	575 -	- -
11-15	Male - Female -	- -	- -	- -	- -	- -	- -
16-20	Male 575 Female 575	- -	- -	- -	575 575	575 575	- -
21-30	Male 575 Female 575	286 -	286 -	- -	286 575	286 575	- -
31-40	Male 1,151 Female 575	286 286	286 286	- -	863 286	863 286	- -
41-50	Male 2,014 Female 2,877	575 286	575 286	- -	1,438 2,589	1,438 2,589	- -
51-64	Male 5,754 Female 4,891	575 575	575 575	- -	5,178 4,315	5,178 4,028	- 286
65 +	Male 2,014 Female 3,740	575 575	575 575	- -	1,438 3,164	1,438 2,877	- 286

TABLE XVI-A

ESTIMATES OF NUMBERS OF PERSONS IN AREA 5 HAVING DISABILITIES,
1967, BY TYPE OF DISABILITY, RESIDENCE, SEX, RACE, AND AGE

Type of Disability					
	Hearing Defects	Functional Impairments	Absence of Limb or Amputations	Mental or Personality Disorders	Other Conditions*
Totals	1,016	1,016	11,858	339	678
Urban	-	339 678	1,694 10,164	-	-
Rural	1,016	-	339	678	3,727 14,568
Male	339 678	678 339	6,098 5,760	339	339
Female	-	-	-	-	9,486 8,809
White	1,016	1,016	11,180 678	339	678
Nonwhite	-	-	-	-	18,295
0-5	-	-	-	-	-
6-10	339	-	-	-	339
11-15	-	-	-	-	678
16-20	-	-	339	-	1,016
21-30	-	-	-	-	1,355
31-40	-	-	678	339	1,016
41-50	339	678	2,033	-	3,727
51-64	339	339	5,421	678	6,098
65+	-	-	3,388	-	4,066

*Such as cancer, leukemia, allergy, heart and circulatory conditions, tuberculosis, emphysema, anaemia, epilepsy, ulcers, chronic bronchitis, conditions of the genito-urinary system, and speech impairments such as cleft palate, harelip, stuttering, and aphasia.

TABLE XVI-B
PROJECTIONS OF NUMBERS OF PERSONS IN AREA 5 HAVING DISABILITIES,
1970, BY TYPE OF DISABILITY, RESIDENCE, SEX, RACE, AND AGE

	Type of Disability				
	Visual Defects	Hearing Defects	Functional Impairments or Amputations	Mental or Personality Disorders	Other Conditions*
Totals	859	859	10,024	286	573
Urban	-	286	1,432	-	3,151
Rural	859	573	8,592	286	12,316
Male	286	573	5,155	286	8,019
Female	573	286	4,869	-	7,447
White	859	859	9,452	286	15,466
Nonwhite	-	-	573	-	-
0-5	-	-	-	-	286
6-10	286	-	-	-	573
11-15	-	-	-	-	-
16-20	-	-	286	-	859
21-30	-	-	-	-	1,146
31-40	-	-	573	286	859
41-50	286	573	1,718	-	3,151
51-64	286	286	4,583	-	5,155
65 +	-	-	2,864	-	3,437

*Such as cancer, leukemia, allergy, nutritional diseases, diabetes, asthma, anaemia, epilepsy, heart and circulatory conditions, tuberculosis, emphysema, chronic bronchitis, ulcers, conditions of the genito-urinary system, and speech impairments such as cleft palate, harelip, stuttering, and aphasia.

TABLE XVI-C

PROJECTIONS OF NUMBERS OF PERSONS IN AREA 5 HAVING DISABILITIES,
1975, BY TYPE OF DISABILITY, RESIDENCE, SEX, RACE, AND AGE

		Type of Disability					
		Visual Defects	Hearing Defects	Functional Impairments	Absence of Limb or Amputations	Mental or Personality Disorders	Other Conditions*
Totals	863	863	863	10,069	288	575	15,535
Urban	-	288	575	1,438	-	-	3,164
Rural	863	575	288	630	288	575	12,370
Male	288	575	575	5,178	288	288	8,055
Female	575	288	288	4,891	-	288	7,480
White	863	863	-	9,493	288	575	15,535
Nonwhite	-	-	-	575	-	-	-
0-5	-	-	-	-	-	-	288
6-10	288	-	-	-	-	-	575
11-15	-	-	-	-	-	-	-
16-20	-	-	-	288	-	-	863
21-30	-	-	-	-	-	-	1,151
31-40	-	-	-	-	288	-	863
41-50	288	-	-	575	-	-	3,164
51-60	288	288	575	1,726	-	575	5,178
65 +	-	-	-	4,603	-	-	3,452
				2,877	-	-	

*Such as cancer, leukemia, allergy, nutritional diseases, diabetes, asthma, anaemia, epilepsy, heart and circulatory conditions, tuberculosis, emphysema, chronic bronchitis, ulcers, conditions of the genito-urinary system, and speech impairments such as cleft palate, harelip, stuttering, and aphasia.

TABLE XVII-A

ESTIMATES OF NUMBERS OF PERSONS IN AREA 6 HAVING
DISABILITIES, 1967, BY AGE, SEX, RESIDENCE, AND RACE

	Grand Total	Urban			Rural		
		Total Urban	White	Non-white	Total Rural	White	Non-white
Totals	Male 23,646 Female 15,977	12,143 7,669	9,586 6,391	2,556 1,278	11,503 8,308	10,864 7,669	639 639
Age 0-5	Male 639 Female -	639 -	- -	639 -	- -	- -	- -
6-10	Male 1,278 Female -	1,278 -	- -	1,278 -	- -	- -	- -
11-15	Male 639 Female -	- -	- -	- -	639 -	639 -	- -
16-20	Male 2,556 Female -	639 -	639 -	- -	1,917 -	1,917 -	- -
21-30	Male 1,278 Female 639	1,278 639	1,278 639	- -	- -	- -	- -
31-40	Male 1,278 Female -	- -	- -	- -	1,278 -	1,278 -	- -
41-50	Male 3,834 Female 3,195	2,556 2,556	2,556 2,556	- -	1,278 639	1,278 639	- -
51-64	Male 6,391 Female 5,752	1,917 -	1,278 -	639 -	4,474 5,752	4,474 5,752	- -
65 +	Male 5,752 Female 6,391	3,834 4,474	3,834 3,195	- 1,278	1,917 1,917	1,278 1,278	639 639

TABLE XVII-B

PROJECTIONS OF NUMBERS OF PERSONS IN AREA 6 HAVING DISABILITIES, 1970, BY AGE, SEX, RESIDENCE, AND RACE

		Grand Total	Urban			Rural		
			Total Urban	White	Non-white	Total Rural	White	Non-white
Totals	Male	27,925	14,340	11,321	3,019	13,585	12,830	755
	Female	18,868	9,057	7,547	1,509	9,811	9,057	755
Age	Male	755	755	-	755	-	-	-
0-5	Female	-	-	-	-	-	-	-
6-10	Male	1,509	1,509	-	1,509	-	-	-
	Female	-	-	-	-	-	-	-
11-15	Male	755	-	-	-	755	755	-
	Female	-	-	-	-	-	-	-
16-20	Male	3,019	755	755	-	2,264	2,264	-
	Female	-	-	-	-	-	-	-
21-30	Male	1,509	1,509	1,509	-	-	-	-
	Female	755	755	755	-	-	-	-
31-40	Male	1,509	-	-	-	1,509	1,509	-
	Female	-	-	-	-	-	-	-
41-50	Male	4,528	3,019	3,019	-	1,509	1,509	-
	Female	3,774	3,019	3,019	-	755	755	-
51-64	Male	7,547	2,264	1,509	755	5,283	5,283	-
	Female	6,793	-	-	-	6,793	6,793	-
65 +	Male	6,793	4,528	4,528	-	2,264	1,509	755
	Female	7,547	5,283	3,774	1,509	2,264	1,509	755

TABLE XVII-C

PROJECTIONS OF NUMBERS OF PERSONS IN AREA 6 HAVING
DISABILITIES, 1975, BY AGE, SEX, RESIDENCE, AND RACE

	Grand Total	Urban			Rural		
		Total Urban	White	Non-white	Total Rural	White	Non-white
Totals	Male 28,404 Female 19,192	14,586 9,212	11,515 7,677	3,071 1,535	13,818 9,980	13,051 9,212	768 768
Age 0-5	Male 768 Female -	768 -	- -	768 -	- -	- -	- -
6-10	Male 1,535 Female -	1,535 -	- -	1,535 -	- -	- -	- -
11-15	Male 768 Female -	- -	- -	- -	768 -	768 -	- -
16-20	Male 3,071 Female -	768 -	768 -	- -	2,303 -	2,303 -	- -
21-30	Male 1,535 Female 768	1,538 768	1,535 768	- -	- -	- -	- -
31-40	Male 1,535 Female -	- -	- -	- -	1,535 -	1,535 -	- -
41-50	Male 4,606 Female 3,838	3,071 3,071	3,071 3,071	- -	1,535 768	1,535 768	- -
51-64	Male 7,677 Female 6,909	2,303 -	1,535 -	768 -	5,374 6,909	5,374 6,909	- -
65 +	Male 6,909 Female 7,677	4,606 5,374	4,606 3,838	- 1,535	2,303 2,303	1,535 1,535	768 768

TABLE XVIII-A

ESTIMATES OF NUMBERS OF PERSONS IN AREA 6 HAVING DISABILITIES,
1967, BY TYPE OF DISABILITY, RESIDENCE, SEX, RACE, AND AGE

		Type of Disability			
		Visual Defects	Hearing Defects	Functional Impairments	Absence of Limb or Amputations
				Mental or Personality Disorders	Other Conditions*
Totals	5,113	1,278	10,225	1,917	19,812
Urban	2,556	639	9,586	1,278	6,391
Rural	2,556	639	639	639	13,421
Male	1,917	639	7,030	1,278	12,143
Female	3,195	639	3,195	639	7,669
White	3,195	639	8,947	1,278	19,172
Nonwhite	1,917	639	1,278	639	-
0-5	-	-	-	639	-
6-10	-	639	639	-	-
11-15	-	-	-	-	639
16-20	639	-	1,278	-	639
21-25	-	-	1,278	-	639
31-40	-	-	-	-	639
41-50	639	-	3,834	639	2,556
51-60	-	639	-	639	10,225
65 +	3,834	-	3,195	-	4,474

*Such as cancer, leukemia, allergy, nutritional diseases, diabetes, asthma, anaemia, epilepsy, heart and circulatory conditions, tuberculosis, emphysema, chronic bronchitis, ulcers, conditions of the genito-urinary system, and speech impairments such as cleft palate, harelip, stuttering, and aphasia.

TABLE XVIII-B
PROJECTIONS OF NUMBERS OF PERSONS IN AREA 6 HAVING DISABILITIES,
1970, BY TYPE OF DISABILITY, RESIDENCE, SEX, RACE, AND AGE

Type of Disability					
	Visual Defects	Hearing Defects	Functional Impairments	Absence of Limb or Amputations	Mental or Personality Disorders
Totals	6,038	1,509	12,076	2,264	2,264
Urban	3,019	755	11,321	1,509	2,264
Rural	3,019	755	755	755	755
Male	2,264	755	8,302	1,509	755
Female	3,774	755	3,774	755	1,509
White	3,774	755	10,566	1,509	2,264
Nonwhite	2,264	755	1,509	755	-
0-5	-	-	-	755	-
6-10	-	755	755	-	-
11-15	-	-	-	-	-
16-20	755	-	1,509	-	-
21-30	-	-	1,509	-	-
31-40	-	-	-	-	755
41-50	755	-	4,528	755	-
51-60	-	755	-	755	755
65 +	4,528	-	3,774	-	755

*Such as cancer, leukemia, allergy, nutritional diseases, diabetes, asthma, anaemia, epilepsy, heart and circulatory conditions, tuberculosis, emphysema, chronic bronchitis, ulcers, conditions of the genito-urinary system, and speech impairments such as cleft palate, harelip, stuttering, and aphasia.

TABLE XVIII-C

PROJECTIONS OF NUMBERS OF PERSONS IN AREA 6 HAVING DISABILITIES,
1975, BY TYPE OF DISABILITY, RESIDENCE, SEX, RACE, AND AGE

		Type of Disability				
		Visual Defects	Hearing Defects	Functional Impairments or Amputations	Mental or Personality Disorders	Other Conditions*
Totals	6,141	1,535	12,283	2,303	2,303	23,798
Urban	3,071	768	11,515	1,535	-	7,677
Rural	3,071	768	768	768	2,303	16,121
Male	2,303	768	8,444	1,535	768	14,586
Female	3,838	768	3,838	768	1,535	9,212
White	3,838	768	10,747	1,535	2,303	23,030
Nonwhite	2,303	768	1,535	768	-	768
0-5	-	-	-	768	-	-
6-10	-	708	768	-	-	-
11-15	-	-	-	-	-	768
16-20	768	-	-	1,535	-	768
21-30	-	-	-	1,535	-	768
31-40	-	-	-	-	768	768
41-50	768	-	-	4,606	768	3,071
51-64	-	768	-	-	768	12,283
65+	4,606	-	3,838	-	768	5,374

*Such as cancer, leukemia, allergy, nutritional diseases, diabetes, asthma, anaemia, epilepsy, heart and circulatory conditions, tuberculosis, emphysema, chronic bronchitis, ulcers, conditions of the genito-urinary system, and speech impairments such as cleft palate, harelip, stuttering, and aphasia.

TABLE XIX-A

ESTIMATES OF NUMBERS OF PERSONS IN AREA 7 HAVING
DISABILITIES, 1967, BY AGE, SEX, RESIDENCE, AND RACE

	Grand Total	Urban			Rural		
		Total Urban	White	Non-white	Total Rural	White	Non-white
Totals	Male 17,963	285	285	-	17,678	17,678	-
	Female 15,682	855	855	-	14,827	14,827	-
Age	Male 285	-	-	-	285	285	-
0-5	Female 285	-	-	-	285	285	-
6-10	Male 855	-	-	-	855	855	-
	Female 570	-	-	-	570	570	-
11-15	Male 1,426	-	-	-	1,426	1,426	-
	Female 1,711	-	+ +	-	1,711	1,711	-
16-20	Male 2,281	-	-	-	2,281	2,281	-
	Female 285	-	-	-	285	285	-
21-30	Male 1,141	-	-	-	1,141	1,141	-
	Female 285	285	285	-	-	-	-
31-40	Male 1,996	-	-	-	1,996	1,996	-
	Female 2,851	-	-	-	2,851	2,851	-
41-50	Male 3,707	-	-	-	3,707	3,707	-
	Female 2,281	-	-	-	2,281	2,281	-
51-64	Male 3,136	285	285	-	2,851	2,851	-
	Female 3,992	570	570	-	3,422	3,422	-
65 +	Male 3,136	-	-	-	3,136	3,136	-
	Female 3,422	-	-	-	3,422	3,422	-

TABLE XIX-B

PROJECTIONS OF NUMBERS OF PERSONS IN AREA 7 HAVING
DISABILITIES, 1970, BY AGE, SEX, RESIDENCE, AND RACE

	Grand Total	Urban			Rural		
		Total Urban	White	Non-white	Total Rural	White	Non-white
Totals	Male 16,907	268	268	-	16,638	16,638	-
	Female 14,760	805	805	-	13,955	13,955	-
Age	Male 268	-	-	-	268	268	-
0-5	Female 268	-	-	-	268	268	-
6-10	Male 805	-	-	-	805	805	-
	Female 537	-	-	-	537	537	-
11-15	Male 1,342	-	-	-	1,342	1,342	-
	Female 1,610	-	-	-	1,610	1,610	-
16-20	Male 2,147	-	-	-	2,147	2,147	-
	Female 268	-	-	-	268	268	-
21-30	Male 1,073	-	-	-	1,073	1,073	-
	Female 268	268	268	-	-	-	-
31-40	Male 1,879	-	-	-	1,879	1,879	-
	Female 2,684	-	-	-	2,684	2,684	-
41-50	Male 3,489	-	-	-	3,489	3,489	-
	Female 2,147	-	-	-	2,147	2,147	-
51-64	Male 2,952	268	268	-	2,684	2,684	-
	Female 3,757	537	537	-	3,220	3,220	-
65 +	Male 2,952	-	-	-	2,952	2,952	-
	Female 3,220	-	-	-	3,220	3,220	-

TABLE XIX-C

PROJECTIONS OF NUMBERS OF PERSONS IN AREA 7 HAVING
DISABILITIES, 1975, BY AGE, SEX, RESIDENCE, AND RACE

	Grand Total	Urban			Rural		
		Total Urban	White	Non-white	Total Rural	White	Non-white
Totals	Male 16,642	264	264	-	16,378	16,378	-
	Female 14,529	792	792	-	13,737	13,737	-
Age 0-5	Male 264	-	-	-	264	264	-
	Female 264	-	-	-	264	264	-
6-10	Male 792	-	-	-	792	792	-
	Female 528	-	-	-	528	528	-
11-15	Male 1,321	-	-	-	1,321	1,321	-
	Female 1,585	-	-	-	1,585	1,585	-
16-20	Male 2,113	-	-	-	2,113	2,113	-
	Female 264	-	-	-	264	264	-
21-30	Male 1,057	-	-	-	1,057	1,057	-
	Female 264	264	264	-	-	-	-
31-40	Male 1,849	-	-	-	1,849	1,849	-
	Female 2,642	-	-	-	2,642	2,642	-
41-50	Male 3,434	-	-	-	3,434	3,434	-
	Female 2,113	-	-	-	2,113	2,113	-
51-64	Male 2,906	264	264	-	2,642	2,642	-
	Female 3,698	528	528	-	3,170	3,170	-
65 +	Male 2,906	-	-	-	2,906	2,906	-
	Female 3,170	-	-	-	3,170	3,170	-

TABLE XX-A
ESTIMATES OF NUMBERS OF PERSONS IN AREA 7 HAVING DISABILITIES,
1967, BY TYPE OF DISABILITY, RESIDENCE, SEX, RACE, AND AGE

Type of Disability					
	Visual Defects	Hearing Defects	Functional Impairments or Amputations	Mental or Personality Disorders	Other Conditions*
Totals	1,426	2,281	10,550	1,426	285
Urban	-	-	-	-	-
Rural	1,426	2,281	10,550	1,426	285
Male	855	1,426	7,698	855	285
Female	570	855	2,851	570	-
White	1,426	2,281	10,550	1,426	285
Nonwhite	-	-	-	-	-
0-5	-	-	-	-	-
6-10	-	-	285	285	-
11-15	570	-	855	-	-
16-20	285	-	570	285	-
21-30	-	-	855	-	285
31-40	-	285	855	285	-
41-50	-	1,141	1,996	-	-
51-64	285	-	2,281	570	-
65+	285	855	2,851	-	-

*Such as cancer, leukemia, allergy, nutritional diseases, diabetes, asthma, anaemia, epilepsy, heart and circulatory conditions, tuberculosis, emphysema, chronic bronchitis, ulcers, conditions of the genito-urinary system, and speech impairments such as cleft palate, harelip, stuttering, and aphasia.

TABLE XX-B

PROJECTIONS OF NUMBERS OF PERSONS IN AREA 7 HAVING DISABILITIES,
1970, BY TYPE OF DISABILITY, RESIDENCE, SEX, RACE, AND AGE

		Type of Disability				
		Visual Defects	Hearing Defects	Functional Impairments or Amputations	Mental or Personality Disorders	Other Conditions*
Totals	1,342	2,147	9,929	1,342	268	18,517
Urban	-	-	-	-	-	-
Rural	1,342	2,147	9,929	1,342	268	17,443
Male	802	1,342	7,246	805	268	7,246
Female	537	805	2,684	537	-	11,271
White	1,342	-	9,929	1,342	268	18,517
Nonwhite	-	-	-	-	-	-
0-5	-	-	-	-	-	537
6-10	-	-	268	268	-	1,073
11-15	537	-	805	-	-	1,610
16-20	268	-	537	268	-	1,342
21-30	-	-	805	-	268	268
31-40	-	268	805	268	-	3,220
41-50	-	1,073	1,879	-	-	2,952
51-64	268	-	2,147	537	-	4,025
65+	268	805	2,684	-	-	3,489

*Such as cancer, leukemia, allergy, nutritional diseases, diabetes, asthma, anaemia, epilepsy, heart and circulatory conditions, tuberculosis, emphysema, chronic bronchitis, ulcers, conditions of the genito-urinary system, and speech impairments such as cleft palate, harelip, stuttering, and aphasia.

TABLE XX-C
PROJECTIONS OF NUMBERS OF PERSONS IN AREA 7 HAVING DISABILITIES,
1975, BY TYPE OF DISABILITY, RESIDENCE, SEX, RACE, AND AGE

		Type of Disability					
		Visual Defects	Hearing Defects	Functional Impairments	Absence of Limb or Amputations	Mental or Personality Disorders	Other Conditions*
Totals	1,321	2,113		9,774	1,321	264	18,227
Urban	-	-		-	-	-	1,057
Rural	1,321	2,113		9,774	1,321	264	17,171
Male	792	1,321		7,132	792	264	7,132
Female	528	792		2,642	528	-	11,095
White	1,321	2,113		9,774	1,321	264	18,227
Nonwhite	-	-		-	-	-	-
0-5	-	-		-	-	-	528
6-10	-	-		-	-	-	1,057
11-15	528	-		792	-	-	1,585
16-20	264	-		528	264	-	1,321
21-30	-	-		792	-	264	264
31-40	-	264		792	-	-	3,170
41-50	-	1,057		1,849	-	-	2,906
51-60	264	-		2,113	528	-	3,962
65 +	264	792		2,642	-	-	3,434

*Such as cancer, leukemia, allergy, nutritional diseases, diabetes, asthma, anaemia, epilepsy, heart and circulatory conditions, tuberculosis, emphysema, chronic bronchitis, ulcers, conditions of the genito-urinary system, and speech impairments such as cleft palate, harelip, stuttering, and aphasia.

TABLE XXI-A

ESTIMATES OF NUMBERS OF PERSONS IN AREA 8 HAVING DISABILITIES, 1967, BY AGE, SEX, RESIDENCE, AND RACE

	Grand Total	Urban			Rural		
		Total Urban	White	Non-white	Total Rural	White	Non-white
Totals	Male Female	6,854 6,493	4,329 3,607	3,968 3,607	361 -	2,525 2,886	2,525 2,886
Age	Male	-	-	-	-	-	-
0-5	Female	-	-	-	-	-	-
6-10	Male	361	-	-	361	361	-
	Female	-	-	-	-	-	-
11-15	Male	-	-	-	-	-	-
	Female	361	-	-	361	361	-
16-20	Male	721	361	361	361	361	-
	Female	361	361	361	-	-	-
21-30	Male	361	361	361	-	-	-
	Female	1,082	721	721	361	361	-
31-40	Male	361	361	361	-	-	-
	Female	721	361	361	361	361	-
41-50	Male	1,443	721	721	721	721	-
	Female	361	361	361	-	-	-
51-64	Male	1,804	721	721	-	1,082	1,082
	Female	1,804	361	361	-	1,443	1,443
65 +	Male	1,804	1,804	1,443	361	-	-
	Female	1,804	1,443	1,443	-	361	361

TABLE XXI-B

PROJECTIONS OF NUMBERS OF PERSONS IN AREA 8 HAVING DISABILITIES, 1970, BY AGE, SEX, RESIDENCE, AND RACE

	Grand Total	Urban			Rural		
		Total Urban	White	Non-white	Total Rural	White	Non-white
Totals	Male	7,132	4,505	4,129	375	2,628	2,628
	Female	6,757	3,754	3,754	-	3,003	3,003
Age	Male	-	-	-	-	-	-
0-5	Female	-	-	-	-	-	-
6-10	Male	375	-	-	375	375	-
	Female	-	-	-	-	-	-
11-15	Male	-	-	-	-	-	-
	Female	375	-	-	375	375	-
16-20	Male	751	375	375	-	375	375
	Femal	375	375	375	-	-	-
21-30	Male	375	375	375	-	-	-
	Female	1,126	751	751	-	375	375
31-40	Male	375	375	375	-	-	-
	Female	751	375	375	-	375	375
41-50	Male	1,502	751	751	-	751	751
	Female	375	375	375	-	-	-
51-64	Male	1,877	751	751	-	1,126	1,126
	Female	1,877	375	375	-	1,502	1,502
65 +	Male	1,877	1,877	1,502	375	-	-
	Female	1,877	1,502	1,502	-	375	375

TABLE XXI-C

PROJECTIONS OF NUMBERS OF PERSONS IN AREA 8 HAVING
DISABILITIES, 1975, BY AGE, SEX, RESIDENCE, AND RACE

	Grand Total	Urban			Rural		
		Total Urban	White	Non-white	Total Rural	White	Non-white
Totals	Male 7,125 Female 6,750	4,500 3,750	4,125 3,750	375 -	2,625 3,000	2,625 3,000	- -
Age	Male - 0-5 Female -	- -	- -	- -	- -	- -	- -
6-10	Male 375 Female -	- -	/ - -	- -	375 -	375 -	- -
11-15	Male - Female 375	- 375	- -	- -	- 375	- 375	- -
16-20	Male 750 Female 375	375 375	375 375	- -	375 -	375 -	- -
21-30	Male 375 Female -	375 750	375 750	- -	- 375	- 375	- -
31-40	Male 375 Female 750	375 375	375 375	- -	- 375	- 375	- -
41-50	Male 1,500 Female 375	750 375	750 375	- -	750 -	750 -	- -
51-64	Male 1,875 Female 1,875	750 375	750 375	- -	1,125 1,500	1,125 1,500	- -
65 +	Male 1,875 Female 1,875	1,875 1,500	1,500 1,500	375 -	- 375	- 375	- -

TABLE XXII-A

ESTIMATES OF NUMBERS OF PERSONS IN AREA 8 HAVING DISABILITIES,
1967, BY TYPE OF DISABILITY, RESIDENCE, SEX, RACE, AND AGE

		Type of Disability				
		Hearing Defects	Functional Impairments	Absence of Limb or Amputations	Mental or Personality Disorders	Other Conditions*
Totals	361	361	5,050	361	721	6,854
Urban	361	-	2,886	-	721	4,329
Rural	-	361	2,164	361	-	2,525
Male	361	-	2,525	361	361	3,247
Female	-	361	2,525	-	361	3,607
White	361	361	4,690	361	721	6,854
Nonwhite	-	-	361	-	-	-
0-5	-	-	-	-	-	-
6-10	-	-	-	-	-	361
11-15	-	-	-	-	-	361
16-20	-	361	-	-	-	721
21-30	-	-	-	-	361	1,082
31-40	-	-	-	1,082	-	-
41-50	-	-	-	721	361	361
51-64	-	-	-	2,164	-	1,082
65 +	-	-	-	1,082	-	2,886

*Such as cancer, leukemia, allergy, nutritional diseases, diabetes, asthma, anaemia, epilepsy, heart and circulatory conditions, tuberculosis, emphysema, chronic bronchitis, ulcers, conditions of the genito-urinary system, and speech impairments such as cleft palate, harelip, stuttering, and aphasia.

TABLE XXII-B
PROJECTIONS OF NUMBERS OF PERSONS IN AREA 8 HAVING DISABILITIES,
1970, BY TYPE OF DISABILITY, RESIDENCE, SEX, RACE, AND AGE

		Type of Disability					
		Visual Defects	Hearing Defects	Functional Impairments	Absence of Limb or Amputations	Mental or Personality Disorders	Other Conditions*
Totals	375	375	375	5,255	375	751	7,132
Urban	375	-	375	3,003	-	-	4,505
Rural	-	-	-	2,252	375	-	2,628
Male	375	-	375	2,628	375	375	3,379
Female	-	-	-	2,628	-	375	3,754
White	375	-	375	4,880	375	751	7,132
Nonwhite	-	-	-	375	-	-	-
0-5	-	-	-	-	-	-	-
6-10	-	-	-	-	-	-	375
11-15	-	-	-	-	-	-	375
16-20	375	-	-	-	-	-	751
21-30	-	-	-	-	-	-	1,126
31-40	-	-	-	1,126	-	-	1,126
41-50	-	-	-	751	375	375	1,126
51-64	-	-	375	2,252	-	-	3,003
65+	-	-	-	1,126	-	-	-

*Such as cancer, leukemia, allergy, nutritional diseases, diabetes, asthma, anaemia, epilepsy, heart and circulatory conditions, tuberculosis, emphysema, chronic bronchitis, ulcers, conditions of the genito-urinary system, and speech impairments such as cleft palate, harelip, stuttering, and aphasia.

TABLE XXII-C
PROJECTIONS OF NUMBERS OF PERSONS IN AREA 8 HAVING DISABILITIES,
1975, BY TYPE OF DISABILITY, RESIDENCE, SEX, RACE, AND AGE

	Type of Disability				
	Visual Defects	Hearing Defects	Functional Impairments or Amputations	Mental or Personality Disorders	Other Conditions*
Totals	375	375	5,250	375	750
Urban	375	-	3,000	750	4,500
Rural	-	375	2,250	-	2,525
Male	375	-	2,625	375	3,375
Female	-	375	2,625	375	3,750
White	375	375	4,875	750	7,125
Nonwhite	-	-	375	-	-
0-5	-	-	-	-	-
6-10	-	-	-	-	375
11-15	-	-	-	-	375
16-20	375	-	-	-	750
21-30	-	-	-	375	1,125
31-40	-	-	1,125	-	-
41-50	-	-	750	375	375
51-64	-	375	2,250	-	1,125
65 +	-	-	1,125	-	3,000

*Such as cancer, leukemia, allergy, nutritional diseases, diabetes, asthma, anaemia, epilepsy, heart and circulatory conditions, tuberculosis, emphysema, chronic bronchitis, ulcers, conditions of the genito-urinary system, and speech impairments such as cleft palate, harelip, stuttering, and aphasia.

TABLE XXIII-A

ESTIMATES OF NUMBERS OF PERSONS IN AREA 9 HAVING
DISABILITIES, 1967, BY AGE, SEX, RESIDENCE, AND RACE

	Grand Total	Urban			Rural		
		Total Urban	White	Non-white	Total Rural	White	Non-white
Totals	Male 9,201 Female 6,971	5,019 3,904	4,740 3,904	279 -	4,182 3,067	3,904 2,788	279 279
Age	Male - Female -	- -	- -	- -	- -	- -	- -
0-5	Male 558 Female 279	558 279	558 279	- -	- -	- -	- -
6-10	Male 558 Female 279	558 279	558 279	- -	- -	- -	- -
11-15	Male 558 Female 279	279 279	279 279	- -	279 -	- -	279 -
16-20	Male 558 Female -	279 -	279 -	- -	279 -	279 -	- -
21-30	Male 836 Female 558	279 279	279 279	- -	558 279	558 279	- -
31-40	Male 279 Female 836	- 836	- 836	- -	279 -	279 -	- -
41-50	Male 558 Female 558	558 -	558 -	- -	- 558	- 558	- -
51-64	Male 2,231 Female 1,394	836 836	836 836	- -	1,394 558	1,394 279	- 279
65 +	Male 3,625 Female 3,067	2,231 1,394	1,952 1,394	279 -	1,394 1,673	1,394 1,673	- -

TABLE XXIII-B

PROJECTIONS OF NUMBERS OF PERSONS IN AREA 9 HAVING DISABILITIES, 1970, BY AGE, SEX, RESIDENCE, AND RACE

	Grand Total	Urban			Rural		
		Total Urban	White	Non-white	Total Rural	White	Non-white
Totals	Male	10,095	5,506	5,200	306	4,283	4,283
	Female	7,648	4,283	4,283	-	3,365	3,059
Age	Male	-	-	-	-	-	-
0-5	Female	-	-	-	-	-	-
6-10	Male	612	612	612	-	-	-
	Female	306	306	306	-	-	-
11-15	Male	612	306	306	-	306	-
	Female	306	306	306	-	-	306
16-20	Male	612	306	306	-	306	306
	Female	-	-	-	-	-	-
21-30	Male	918	306	306	-	612	612
	Female	612	306	306	-	306	306
31-40	Male	306	-	-	-	306	306
	Female	918	918	918	-	-	-
41-50	Male	612	612	612	-	-	-
	Female	612	-	-	612	612	-
51-64	Male	2,447	918	918	-	1,530	1,530
	Female	1,530	918	918	-	612	306
65 +	Male	3,977	2,447	2,141	306	1,530	1,530
	Female	3,365	1,530	1,530	-	1,835	1,835

TABLE XXIII-C

PROJECTIONS OF NUMBERS OF PERSONS IN AREA 9 HAVING DISABILITIES, 1975, BY AGE, SEX, RESIDENCE, AND RACE

	Grand Total	Urban			Rural		
		Total Urban	White	Non-white	Total Rural	White	Non-white
Totals	Male	10,080	5,498	5,193	305	4,582	4,276
	Female	7,636	4,276	4,276	-	3,360	3,055
Age	Male	-	-	-	-	-	-
0-5	Female	-	-	-	-	-	-
6-10	Male	610	610	610	-	-	-
	Female	305	305	305	-	-	-
11-15	Male	610	305	305	-	305	-
	Female	305	305	305	-	-	305
16-20	Male	610	305	305	-	305	305
	Female	-	-	-	-	-	-
21-30	Male	916	305	305	-	610	610
	Female	610	305	305	-	305	-
31-40	Male	305	-	-	-	305	305
	Female	916	916	916	-	-	-
41-50	Male	610	610	610	-	610	610
	Female	610	-	-	-	-	-
51-64	Male	2,444	916	916	-	1,527	1,527
	Female	1,527	916	916	-	610	305
65 +	Male	3,971	2,444	2,138	305	1,527	1,527
	Female	3,360	1,527	1,527	-	1,833	1,833

TABLE XXIV-A
ESTIMATES OF NUMBERS OF PERSONS IN AREA 9 HAVING DISABILITIES,
1967, BY TYPE OF DISABILITY, RESIDENCE, SEX, RACE, AND AGE

		Type of Disability					
	Visual Defects	Hearing Defects	Functional Impairments or Amputations	Absence of Limb Personality Disorders	Mental or Personality Disorders	Other Conditions*	
Totals	1,952	279	4,461	836	1,115	8,086	
Urban	1,115	279	2,231	558	836	4,461	
Rural	836	-	2,231	279	279	3,625	
Male	836	-	1,952	836	836	5,298	
Female	1,115	279	2,509	-	279	2,788	
White	1,673	279	4,182	836	1,115	7,807	
Nonwhite	279	-	279	-	-	7,279	
0-5	-	-	-	-	-	-	
6-10	279	-	-	-	-	279	
11-15	-	-	558	-	279	-	
16-20	279	-	-	-	279	279	
21-30	-	-	558	-	-	558	
31-40	279	-	558	-	-	279	
41-50	-	-	279	-	279	558	
51-64	558	-	279	279	-	2,509	
65 +	558	279	2,231	558	-	3,625	

*Such as cancer, leukemia, allergy, nutritional diseases, diabetes, asthma, anaemia, epilepsy, heart and circulatory conditions, tuberculosis, emphysema, chronic bronchitis, ulcers, conditions of the genito-urinary system, and speech impairments such as cleft palate, harelip, stuttering, and aphasia.

TABLE XXIV-B
PROJECTIONS OF NUMBERS OF PERSONS IN AREA 9 HAVING DISABILITIES,
1970, BY TYPE OF DISABILITY, RESIDENCE, SEX, RACE, AND AGE

Type of Disability					
	Hearing Defects	Functional Impairments	Absence of Limb or Amputations	Mental or Personality Disorders	Other Conditions*
Totals	2,141	306	4,895	918	1,224
Urban	1,224	306	2,447	612	918
Rural	918	-	2,447	306	306
Male	918	-	2,141	918	918
Female	1,224	306	2,753	-	306
White	1,835	306	4,589	918	1,224
Nonwhite	306	-	306	-	-
0-5	-	-	-	-	-
6-10	306	-	-	-	-
11-15	-	-	612	-	-
16-20	306	-	-	-	-
21-30	-	-	612	-	-
31-40	306	-	612	-	-
41-50	-	-	306	-	-
51-64	612	-	306	306	306
65+	612	306	2,447	612	-

*Such as cancer, leukemia, allergy, diabetes, asthma, anaemia, epilepsy, heart and circulatory conditions, tuberculosis, emphysema, chronic bronchitis, ulcers, conditions of the genito-urinary system, and speech impairments such as cleft palate, harelip, stuttering, and aphasia.

TABLE XXIV-C
PROJECTIONS OF NUMBERS OF PERSONS IN AREA 9 HAVING DISABILITIES,
1975, BY TYPE OF DISABILITY, RESIDENCE, SEX, RACE, AND AGE

		Type of Disability					
		Visual Defects	Hearing Defects	Functional Impairments	Absence of Limb or Amputations	Mental or Personality Disorders	Other Conditions*
Totals	2,138	305	4,887	916	1,222	916	8,858
Urban	1,222	305	2,444	611	916	4,887	
Rural	916	-	2,444	305	305	3,971	
Male	916	-	2,138	916	916	5,804	
Female	1,222	305	2,749	-	305	3,055	
White	1,833	305	4,582	916	1,222	8,553	
Nonwhite	305	-	305	-	-	305	
0-5	-	-	-	-	-	-	
6-10	305	-	-	-	-	305	305
11-15	-	-	611	-	-	-	
16-20	305	-	-	-	-	305	305
21-30	-	-	611	-	-	611	305
31-40	305	-	611	-	-	611	611
41-50	-	-	611	-	-	611	2,749
51-64	611	-	305	305	-	-	3,971
65+	611	305	2,444	611	-	-	

*Such as cancer, leukemia, allergy, nutritional diseases, diabetes, asthma, anaemia, epilepsy, heart and circulatory conditions, tuberculosis, emphysema, chronic bronchitis, ulcers, conditions of the genito-urinary system, and speech impairments such as cleft palate, harelip, stuttering, and aphasia.

TABLE XXV-A

ESTIMATES OF NUMBERS OF PERSONS IN AREA 10 HAVING
DISABILITIES, 1967, BY AGE, SEX, RESIDENCE, AND RACE

		Grand Total	Urban			Rural		
			Total Urban	White	Non-white	Total Rural	White	Non-white
Totals	Male	74,849	54,286	50,585	3,701	20,563	17,684	2,879
	Female	85,131	67,035	62,923	4,113	18,095	16,039	2,056
Age	Male	2,056	823	823	-	1,234	1,234	-
0-5	Female	2,056	1,234	1,234	-	823	823	-
6-10	Male	4,524	3,290	2,879	411	1,234	1,234	-
	Female	2,056	1,234	1,234	-	823	823	-
11-15	Male	3,290	3,290	3,290	-	1,234	1,234	-
	Female	5,346	4,113	3,290	823	1,234	1,234	-
16-20	Male	4,524	3,290	3,290	-	1,234	1,234	-
	Female	4,935	4,113	4,113	-	823	411	411
21-30	Male	3,701	3,290	3,290	-	411	411	-
	Female	7,403	6,580	6,580	-	823	823	-
31-40	Male	8,636	6,991	6,580	411	1,645	1,645	-
	Female	5,346	4,113	4,113	-	1,234	1,234	-
41-50	Male	11,927	8,636	7,814	823	3,290	2,879	411
	Female	12,749	11,515	11,104	411	1,234	1,234	-
51-64	Male	20,152	14,394	13,572	823	5,758	4,935	823
	Female	25,087	18,507	16,862	1,645	6,580	4,935	1,645
65 +	Male	16,450	10,282	9,048	1,234	6,169	4,113	1,645
	Female	20,152	15,628	14,394	1,234	4,524	4,524	-

TABLE XXV-B

PROJECTIONS OF NUMBERS OF PERSONS IN AREA 10 HAVING
DISABILITIES, 1970, BY AGE, SEX, RESIDENCE, AND RACE

	Grand Total	Urban			Rural		
		Total Urban	White	Non-white	Total Rural	White	Non-white
Totals	Male 99,048	71,837	66,939	4,898	27,211	23,401	3,810
	Female 112,653	88,708	83,266	5,442	23,946	21,225	2,721
Age	Male 2,721	1,088	1,088	-	1,633	1,633	-
0-5	Female 2,721	1,633	1,633	-	1,088	1,088	-
6-10	Male 5,986	4,354	3,810	544	1,633	1,633	-
	Female 2,721	1,633	1,633	-	1,088	1,088	-
11-15	Male 4,354	4,354	4,354	-	1,633	1,633	-
	Female 7,075	5,442	4,354	1,088	1,633	1,633	-
16-20	Male 5,986	4,354	4,354	-	1,633	1,633	-
	Female 6,531	5,442	5,442	-	1,088	544	544
21-30	Male 4,898	4,354	4,354	-	544	544	-
	Female 9,796	8,708	8,708	-	1,088	1,088	-
31-40	Male 11,429	9,252	8,708	544	2,177	2,177	-
	Female 7,075	5,442	5,442	-	1,633	1,633	-
41-50	Male 15,782	11,429	10,340	1,088	4,354	3,810	544
	Female 16,871	15,238	14,694	544	1,633	1,633	-
51-64	Male 26,667	19,048	17,959	1,088	7,619	6,531	1,088
	Female 33,197	24,490	22,313	2,177	8,708	6,531	2,177
65 +	Male 21,769	13,606	11,973	1,633	8,163	5,442	2,177
	Female 26,667	20,680	19,048	1,633	5,986	5,986	-

TABLE XXV-C

PROJECTIONS OF NUMBERS OF PERSONS IN AREA 10 HAVING DISABILITIES, 1975, BY AGE, SEX, RESIDENCE, AND RACE

	Grand Total	Urban			Rural		
		Total Urban	White	Non-white	Total Rural	White	Non-white
Totals	Male 103,561 Female 117,787	75,110 92,750	69,989 87,060	5,121 5,690	28,451 25,037	24,468 22,192	3,983 2,845
Age 0-5	Male 2,845 Female 2,845	1,138 1,707	1,138 1,707	- -	1,707 1,138	1,707 1,138	- -
6-10	Male 6,259 Female 2,845	4,552 1,707	3,983 1,707	569 -	1,707 1,138	1,707 1,138	- -
11-15	Male 4,552 Female 7,397	4,552 5,690	4,552 4,552	1,138 -	1,707 -	1,707 -	- -
16-20	Male 6,259 Female 6,828	4,552 5,690	4,552 5,690	- -	1,707 1,138	1,707 569	- 569
21-30	Male 5,121 Female 10,242	4,552 9,104	4,552 9,104	- -	569 1,138	569 1,138	- -
31-40	Male 11,949 Female 7,397	9,673 5,690	9,104 5,690	569 -	2,276 1,707	2,276 1,707	- -
41-50	Male 16,502 Female 17,640	11,949 15,933	10,811 15,364	1,138 569	4,552 1,707	3,983 1,707	569 -
51-64	Male 27,882 Female 34,710	19,916 25,606	18,778 23,330	1,138 2,276	7,966 9,104	6,828 6,828	1,138 2,276
65 +	Male 22,761 Female 27,882	14,225 21,623	12,518 19,916	1,707 1,707	8,535 6,259	5,690 6,259	2,276 -

TABLE XXVI-A
ESTIMATES OF NUMBERS OF PERSONS IN AREA 10 HAVING DISABILITIES,
1967, BY TYPE OF DISABILITY, RESIDENCE, SEX, RACE, AND AGE

	Type of Disability				
	Visual Defects	Hearing Defects	Functional Impairments or Amputations	Mental or Personality Disorders	Other Conditions*
Totals	13,160	11,927	47,706	1,645	5,346
Urban	11,927	9,870	32,078	1,234	4,524
Rural	1,234	2,056	15,628	411	823
Male	7,814	6,991	23,442	1,645	2,056
Female	5,346	4,935	24,264	-	3,290
White	13,160	11,104	42,360	1,645	5,346
Nonwhite	-	823	5,346	-	-
0-5	823	-	-	-	411
6-10	411	411	1,234	-	411
11-15	-	411	823	-	411
16-20	-	-	1,234	-	823
21-30	1,645	-	2,056	-	-
31-40	2,056	823	4,935	411	823
41-50	2,056	823	8,225	-	-
51-64	3,701	3,290	16,862	823	1,645
65+	2,468	6,169	12,338	411	823

*Such as cancer, leukemia, allergy, nutritional diseases, diabetes, asthma, anaemia, epilepsy, heart and circulatory conditions, tuberculosis, emphysema, chronic bronchitis, ulcers, conditions of the genito-urinary system, and speech impairments such as cleft palate, harelip, stuttering, and aphasia.

TABLE XXVI-B
PROJECTIONS OF NUMBERS OF PERSONS IN AREA 10 HAVING DISABILITIES,
1970, BY TYPE OF DISABILITY, RESIDENCE, SEX, RACE, AND AGE

	Type of Disability			
	Visual Defects	Hearing Defects	Functional Impairments	Absence of Limb or Amputations
			Personality Disorders	Medical or Personality Disorders
Totals	17,415	15,782	63,129	2,177
Urban	15,782	13,061	42,449	1,633
Rural	1,633	2,721	20,680	544
Male	10,340	9,252	31,021	2,177
Female	7,075	6,531	32,109	-
White	17,415	14,694	56,055	2,177
Nonwhite	-	1,088	7,075	-
0-5	1,088	-	-	-
6-10	544	544	1,633	-
11-15	-	544	1,088	-
16-20	-	-	1,633	-
21-30	2,177	-	2,721	-
31-40	2,721	1,088	6,531	544
41-50	2,721	1,088	10,884	-
51-64	4,898	4,354	22,313	1,088
65+	3,265	8,163	16,327	544

*Such as cancer, leukemia, allergy, nutritional diseases, diabetes, asthma, anaemia, epilepsy, heart and circulatory conditions, tuberculosis, emphysema, chronic bronchitis, ulcers, conditions of the genito-urinary system, and speech impairments such as cleft palate, harelip, stuttering, and aphasia.

TABLE XXVI-C
PROJECTIONS OF NUMBERS OF PERSONS IN AREA 10 HAVING DISABILITIES,
1975, BY TYPE OF DISABILITY, RESIDENCE, SEX, RACE, AND AGE

	Type of Disability				
	Visual Defects	Hearing Defects	Functional Impairments or Amputations	Mental or Personality Disorders	Other Conditions*
Totals	18,209	16,502	66,006	2,276	7,397
Urban	16,502	13,656	44,383	1,707	6,259
Rural	1,707	2,845	21,623	569	1,138
Male	10,811	9,673	32,434	2,276	2,845
Female	7,397	6,828	33,572	-	4,552
White	18,209	15,364	58,609	2,276	7,397
Nonwhite	-	1,138	7,397	-	-
0-5	1,138	-	-	-	569
6-10	569	569	1,707	-	569
11-15	-	569	1,138	-	569
16-20	-	-	1,707	-	1,138
21-30	2,276	-	2,845	-	-
31-40	2,845	1,138	6,828	569	1,138
41-50	2,845	1,138	11,380	-	-
51-64	5,121	4,552	23,330	1,138	2,276
65+	3,414	8,535	17,071	569	1,138

*Such as cancer, leukemia, allergy, nutritional diseases, diabetes, asthma, anaemia, epilepsy, heart and circulatory conditions, tuberculosis, emphysema, chronic bronchitis, ulcers, conditions of the genito-urinary system, and speech impairments such as cleft palate, harelip, stuttering, and aphasia.

APPENDIX

**OKLAHOMA STATE UNIVERSITY
RESEARCH FOUNDATION**

Oklahoma Survey of Disabilities

Type of Residence: Urban Rural-Non-Farm Rural-Farm
Address _____ County _____ Date _____

1. List all members residing in the household.

VRA

2. Do any members of the household have a physical or mental disability?

Yes IF YES, WRITE FIRST NAME OF DISABLED AND DESCRIPTION OF DISABILITY.

No IF NO, ASK QUESTION 3.

(First name)

(Disability)

3. Now, I wonder if you would mind going over this list with me and telling me whether anyone who lives here has any of the conditions listed here.

HAND RESPONDENT COPY OF CATEGORIES,
READ ALOUD THE CATEGORIES,
LIST FIRST NAME AND DESCRIPTION,
WHERE APPROPRIATE, ASK CAUSE OF IMPAIRMENT.

(First name)

(Disability)

IF NO DISABILITIES ARE LISTED ABOVE, GO TO QUESTION 15 AND CONCLUDE THE INTERVIEW FROM THAT POINT.

4. Can _____ (each name listed above) move about without the aid of another person?

(First name)

Yes No

(First name)	Age	Q6	Q7	Q8	Q9

WRITE ANSWERS TO THE FOLLOWING FIVE QUESTIONS IN THE SPACES PROVIDED ABOVE, COMPLETING INFORMATION FOR EACH DISABLED PERSON.

5. At what age did the disability (or did this condition) occur?
6. Was _____ employed when the disability occurred?
7. Has _____ ever talked with a Vocational Rehabilitation Counselor?
8. Would _____ be willing to leave his home or county to receive services or training?
9. Would _____ be willing to leave his home or county to be employed elsewhere?

IF NO, ASK

- a. Could you give me any particular reason why?

IF THE DISABLED IS UNEMPLOYED ASK QUESTION 10. OTHERWISE GO ON TO 11.

10. Are there any jobs you feel _____ could hold at the present time, without any further training?

(First name) Yes No IF YES, What are they?

_____	<input type="checkbox"/>	<input type="checkbox"/>	_____
_____	<input type="checkbox"/>	<input type="checkbox"/>	_____
_____	<input type="checkbox"/>	<input type="checkbox"/>	_____
_____	<input type="checkbox"/>	<input type="checkbox"/>	_____

11. Has _____ ever received any financial aid in connection with the disability?

(First name) Yes No IF YES, From what Agency?

_____	<input type="checkbox"/>	<input type="checkbox"/>	_____
_____	<input type="checkbox"/>	<input type="checkbox"/>	_____
_____	<input type="checkbox"/>	<input type="checkbox"/>	_____

12. Are any members of your family currently receiving services in or through sheltered workshops or rehabilitation facilities?

Yes No

(First name)

(Facility)

13. Do you know what a sheltered workshop is?

Yes IF YES, Would you say that the things you have heard about them are favorable
or unfavorable?

No IF NO, READ THE FOLLOWING TO THE RESPONDENT:

A sheltered workshop is a place where almost any severely disabled person may come and gain training and otherwise learn any of a large variety of jobs. They earn while they learn and after training may continue on in the workshop at their job, and earn a steady income, or they may leave the workshop and enter competitive employment. In the workshop they need not worry about losing their positions because of fierce competition from their fellow workers. Each is urged to perform at his or her own rate.

14. Would any disabled members of your family be interested in utilizing the services of a sheltered workshop?

(First name)

Yes No

<input type="checkbox"/>	<input type="checkbox"/>

15. There is much talk about mental institutions in our country today, and there seem to be two opposite views about them. Some people feel that they are mainly custodial, that is, they serve largely to confine and care for the mentally ill, to keep them away from other people. Others believe that they are mainly hospitals where the mentally ill are treated and helped so that many of them return to lead useful lives.

Do you believe that mental institutions in America today operate mostly as custodial institutions or as real hospitals and treatment centers?

Custodial Don't know

Hospital

16. What proportion of mental patients entering hospitals in the United States nowadays would you guess are returned to their homes to lead useful lives?

Less than one-fourth

Between one-fourth and one-half

Between one-half and three-quarters

More than three-quarters

17. What would be your reaction if you were working in an office or shop and a person who had been in a mental hospital was hired to work near you?

Would you feel OK about it?

have some misgivings?

feel somewhat uneasy?

or feel very uneasy?

18. What would be your reaction if you were working in an office or shop and a person who had been in a prison was hired to work near you?

Would you feel OK about it?

have some misgivings?

feel somewhat uneasy?

or feel very uneasy?

19. Have any members of the household spent any time in a mental hospital?

Yes

No

(First name)

(Institution)

20. Have any members of the household spent any time in a correctional-training school, a penal institution, or other related institutions?

Yes

No

(First name)

(Institution)

This concludes the interview. We are grateful for your time and cooperation. Are there any questions or comments that you have?

Thank you again.